

RAM TRAILER TOW INFORMATION 1500

RAM QUAD CAB 2WD SHORT BED ST													DR1L41	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	3.7L V6 gas	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,750	4,952	2,749	2,203	3,700	3,900	8,000	2,900	
17" base	3.7L V6 gas	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,750	4,952	2,749	2,203	3,700	3,900	8,000	2,900	
17" base	3.7L V6 gas	A4	42RLE VLP 4 sp (AUTO DG6)	3.92	6,700	1,760	4,939	2,743	2,197	3,700	3,900	8,500	3,400	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,700	5,000	2,830	2,170	3,700	3,900	9,000	3,850	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,700	5,000	2,830	2,170	3,700	3,900	10,500	5,350	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,640	5,061	2,879	2,182	3,700	3,900	11,500	6,300	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,640	5,061	2,879	2,182	3,700	3,900	12,500	7,300	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,600	5,096	2,884	2,212	3,700	3,900	11,500	6,250	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,600	5,096	2,884	2,212	3,700	3,900	12,500	7,250	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,570	5,127	2,906	2,221	3,700	3,900	13,000	7,700	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,570	5,127	2,906	2,221	3,700	3,900	14,000	8,700	
RAM QUAD CAB 2WD SHORT BED SLT													DR1H41	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,720	4,977	2,798	2,179	3,700	3,900	9,000	3,850	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,720	4,977	2,798	2,179	3,700	3,900	10,500	5,350	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,660	5,038	2,847	2,191	3,700	3,900	11,500	6,300	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,660	5,038	2,847	2,191	3,700	3,900	12,500	7,300	
20"	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,630	5,072	2,834	2,238	3,700	3,900	9,500	4,300	
20"	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,570	5,133	2,883	2,250	3,700	3,900	11,500	6,200	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,630	5,073	2,852	2,221	3,700	3,900	11,500	6,300	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,630	5,073	2,852	2,221	3,700	3,900	12,500	7,300	
20"	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,530	5,170	2,888	2,282	3,700	3,900	11,500	6,200	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,610	5,095	2,886	2,209	3,700	3,900	13,000	7,750	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,610	5,095	2,886	2,209	3,700	3,900	14,000	8,750	
20"	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,510	5,192	2,923	2,269	3,700	3,900	13,000	7,650	
RAM QUAD CAB 2WD SHORT BED LARAMIE													DR1P41	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,540	5,165	2,910	2,254	3,700	3,900	11,500	6,200	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,540	5,165	2,910	2,254	3,700	3,900	12,500	7,200	
20"	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,530	5,172	2,913	2,259	3,700	3,900	11,500	6,200	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,500	5,199	2,915	2,284	3,700	3,900	11,500	6,150	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,500	5,199	2,915	2,284	3,700	3,900	12,500	7,150	
20"	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,490	5,207	2,918	2,289	3,700	3,900	11,500	6,150	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,460	5,244	2,966	2,278	3,700	3,900	13,000	7,600	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,460	5,244	2,966	2,278	3,700	3,900	14,000	8,600	
20"	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,450	5,252	2,969	2,283	3,700	3,900	13,000	7,600	
NOTE:														
1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight														
2. Maximum trailer weights are rounded to the nearest 50lbs.														
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)														
@ - 4.7 L V8 Gas FFV 45 State Emission Fleet Only														

[Site Map](#)

[Main Menu](#)

[PRINT](#)

ALL

IN

OUT

RAM TRAILER TOW INFORMATION 1500

RAM QUAD CAB 2WD LONG BED ST														DR1L42	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail		
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,540	5,165	2,931	2,234	3,700	3,900	9,000	3,700		
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,540	5,165	2,931	2,234	3,700	3,900	10,500	5,200		
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,470	5,228	2,982	2,246	3,700	3,900	11,500	6,100		
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,470	5,228	2,982	2,246	3,700	3,900	12,500	7,100		
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,440	5,260	2,984	2,276	3,700	3,900	11,500	6,100		
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,440	5,260	2,984	2,276	3,700	3,900	12,500	7,100		
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,410	5,286	3,012	2,274	3,700	3,900	13,000	7,550		
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,410	5,286	3,012	2,274	3,700	3,900	14,000	8,550		
RAM QUAD CAB 2WD LONG BED SLT														DR1H42	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail		
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,550	5,154	2,923	2,231	3,700	3,900	9,000	3,700		
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,550	5,154	2,923	2,231	3,700	3,900	10,500	5,200		
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,480	5,217	2,974	2,243	3,700	3,900	11,500	6,150		
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,480	5,217	2,974	2,243	3,700	3,900	12,500	7,150		
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,450	5,251	2,978	2,273	3,700	3,900	11,500	6,100		
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,450	5,251	2,978	2,273	3,700	3,900	12,500	7,100		
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,380	5,319	3,050	2,269	3,700	3,900	13,000	7,550		
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,380	5,319	3,050	2,269	3,700	3,900	14,000	8,550		
RAM QUAD CAB 2WD LONG BED LARAMIE														DR1P42	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail		
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,360	5,341	3,036	2,306	3,700	3,900	11,500	6,000		
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,360	5,341	3,036	2,306	3,700	3,900	12,500	7,000		
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,320	5,376	3,040	2,336	3,700	3,900	11,500	5,950		
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,320	5,376	3,040	2,336	3,700	3,900	12,500	6,950		
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,280	5,421	3,091	2,329	3,700	3,900	13,000	7,450		
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,280	5,421	3,091	2,329	3,700	3,900	14,000	8,450		
NOTE:															
1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight															
2. Maximum trailer weights are rounded to the nearest 50lbs.															
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)															
®- 4.7 L V8 Gas FFV 45 State Emission Fleet Only															

[Site Map](#)

[Main Menu](#)

PRINT

ALL

IN

OUT

RAM TRAILER TOW INFORMATION 1500

RAM REGULAR CAB 2WD SHORT BED ST													DR1L61	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	3.7L V6 gas	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,470	4,560	2,573	1,987	3,700	3,900	8,000	3,300	
17" base	3.7L V6 gas	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,025	1,470	4,560	2,573	1,987	3,700	3,900	8,000	3,300	
17" base	3.7L V6 gas	A4	42RLE VLP 4 sp (AUTO DG6)	3.92	6,025	1,480	4,547	2,567	1,981	3,700	3,900	8,500	3,800	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,370	4,660	2,624	2,036	3,700	3,900	9,000	4,200	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,370	4,660	2,624	2,036	3,700	3,900	10,500	5,700	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,300	4,723	2,671	2,052	3,700	3,900	11,500	6,650	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,300	4,723	2,671	2,052	3,700	3,900	12,500	7,650	
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,300	4,729	2,724	2,005	3,700	3,900	11,500	6,600	
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,300	4,729	2,724	2,005	3,700	3,900	12,500	7,600	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,200	1,460	4,736	2,715	2,021	3,700	3,900	13,000	8,100	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,460	4,736	2,715	2,021	3,700	3,900	14,000	9,100	
RAM REGULAR CAB 2WD SHORT BED SLT													DR1H61	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,390	4,633	2,670	1,963	3,700	3,900	9,000	4,200	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,390	4,633	2,670	1,963	3,700	3,900	10,500	5,700	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,330	4,696	2,717	1,979	3,700	3,900	11,500	6,650	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,330	4,696	2,717	1,979	3,700	3,900	12,500	7,650	
20"	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,290	4,731	2,705	2,026	3,700	3,900	9,500	4,600	
20"	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,230	4,794	2,752	2,042	3,700	3,900	11,500	6,550	
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,300	4,729	2,724	2,005	3,700	3,900	11,500	6,600	
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,300	4,729	2,724	2,005	3,700	3,900	12,500	7,600	
20"	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,200	4,826	2,758	2,068	3,700	3,900	11,500	6,500	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,200	1,470	4,734	2,731	2,003	3,700	3,900	13,000	8,100	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,470	4,734	2,731	2,003	3,700	3,900	14,000	9,100	
20"	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,370	4,830	2,765	2,065	3,700	3,900	13,000	8,000	
RAM REGULAR CAB 2WD SHORT BED LARAMIE													DR1P61	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,310	4,719	2,710	2,009	3,700	3,900	11,500	6,650	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,310	4,719	2,710	2,009	3,700	3,900	12,500	7,650	
20"	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,300	4,726	2,713	2,014	3,700	3,900	11,500	6,600	
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,270	4,753	2,715	2,039	3,700	3,900	11,500	6,600	
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,270	4,753	2,715	2,039	3,700	3,900	12,500	7,600	
20"	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,260	4,761	2,717	2,044	3,700	3,900	11,500	6,600	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,200	1,400	4,798	2,766	2,032	3,700	3,900	13,000	8,050	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,400	4,798	2,766	2,032	3,700	3,900	14,000	9,050	
20"	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,390	4,806	2,769	2,037	3,700	3,900	13,000	8,050	
NOTE:														
1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight														
2. Maximum trailer weights are rounded to the nearest 50lbs.														
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)														
@- 4.7 L V8 Gas FFV 45 State Emission Fleet Only														

[Site Map](#)

[Main Menu](#)

PRINT

ALL

IN

OUT

RAM TRAILER TOW INFORMATION 1500

RAM REGULAR CAB 2WD LONG BED ST														DR1L62													
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail														
17" base	3.7L V6 gas	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,800	4,798	2,706	2,092	3,700	3,900	8,000	3,050														
17" base	3.7L V6 gas	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,800	4,798	2,706	2,092	3,700	3,900	8,000	3,050														
17" base	3.7L V6 gas	A4	42RLE VLP 4 sp (AUTO DG6)	3.92	6,600	1,820	4,785	2,700	2,086	3,700	3,900	8,500	3,550														
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,760	4,838	2,783	2,055	3,700	3,900	9,000	4,000														
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,760	4,838	2,783	2,055	3,700	3,900	10,500	5,500														
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,700	4,896	2,831	2,064	3,700	3,900	11,500	6,450														
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,700	4,896	2,831	2,064	3,700	3,900	12,500	7,450														
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,670	4,934	2,837	2,097	3,700	3,900	11,500	6,400														
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,670	4,934	2,837	2,097	3,700	3,900	12,500	7,400														
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,640	4,960	2,865	2,095	3,700	3,900	13,000	7,900														
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,640	4,960	2,865	2,095	3,700	3,900	14,000	8,900														
RAM REGULAR CAB 2WD LONG BED SLT														DR 1H62													
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail														
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,790	4,815	2,751	2,064	3,700	3,900	9,000	4,050														
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,790	4,815	2,751	2,064	3,700	3,900	10,500	5,550														
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,730	4,873	2,799	2,073	3,700	3,900	11,500	6,500														
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,730	4,873	2,799	2,073	3,700	3,900	12,500	7,500														
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,690	4,910	2,804	2,106	3,700	3,900	11,500	6,450														
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,690	4,910	2,804	2,106	3,700	3,900	12,500	7,450														
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,650	4,947	2,856	2,091	3,700	3,900	13,000	7,900														
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,650	4,947	2,856	2,091	3,700	3,900	14,000	8,900														
RAM REGULAR CAB 2WD LONG BED LARAMIE														DR 1P62													
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail														
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,680	4,915	2,813	2,103	3,700	3,900	11,500	6,450														
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,680	4,915	2,813	2,103	3,700	3,900	12,500	7,450														
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,650	4,950	2,817	2,133	3,700	3,900	11,500	6,400														
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,650	4,950	2,817	2,133	3,700	3,900	12,500	7,400														
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,610	4,995	2,869	2,126	3,700	3,900	13,000	7,850														
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,610	4,995	2,869	2,126	3,700	3,900	14,000	8,850														
RAM QUAD CAB 2WD SHORT BED SRT-10														DR 1S41													
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail														
22" base	8.3L V-10 GAS	A5	48RE 4 sp AUTO (DG8)	4.56	6,700	1,010	5,691	3,174	2,517	3,700	3,900	14,000	8,150														
NOTE:																											
1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight																											
2. Maximum trailer weights are rounded to the nearest 50lbs.																											
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)																											
@ - 4.7 L V8 Gas FFV 45 State Emission Fleet Only																											

[Site Map](#)

[Main Menu](#)

[PRINT](#)

[ALL](#)

[IN](#)

[OUT](#)

RAM TRAILER TOW INFORMATION 1500

RAM QUAD CAB 4WD SHORT BED ST													DR6L41	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,460	5,240	3,067	2,173	3,900	3,900	9,500	4,100	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,460	5,240	3,067	2,173	3,900	3,900	10,500	5,100	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,400	5,297	3,111	2,186	3,900	3,900	11,500	6,050	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,400	5,297	3,111	2,186	3,900	3,900	12,500	7,050	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,370	5,335	3,120	2,215	3,900	3,900	11,500	6,000	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,370	5,335	3,120	2,215	3,900	3,900	12,500	7,000	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,330	5,366	3,142	2,224	3,900	3,900	13,000	7,500	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,330	5,366	3,142	2,224	3,900	3,900	14,000	8,500	
RAM QUAD CAB 4WD SHORT BED SLT													DR6H41	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,480	5,216	3,034	2,182	3,900	3,900	9,500	4,150	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,480	5,216	3,034	2,182	3,900	3,900	10,500	5,150	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,430	5,273	3,078	2,195	3,900	3,900	11,500	6,100	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,430	5,273	3,078	2,195	3,900	3,900	12,500	7,100	
20"	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,390	5,314	3,071	2,243	3,900	3,900	9,500	4,050	
20"	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,330	5,371	3,115	2,256	3,900	3,900	11,500	6,000	
LT 275	4.7L V8 gas OHC	M6	Getrag 6 sp MANU (DEJ)	3.92	6,700	1,410	5,287	3,077	2,210	3,900	3,900	10,500	5,050	
LT 275	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,360	5,344	3,121	2,223	3,900	3,900	12,500	7,000	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,390	5,312	3,088	2,224	3,900	3,900	11,500	6,050	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,390	5,312	3,088	2,224	3,900	3,900	12,500	7,050	
20"	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,290	5,409	3,124	2,285	3,900	3,900	11,500	5,950	
LT 275	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,320	5,383	3,131	2,252	3,900	3,900	12,500	6,950	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,350	5,353	3,120	2,233	3,900	3,900	13,000	7,500	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,350	5,353	3,120	2,233	3,900	3,900	14,000	8,500	
20"	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,250	5,451	3,157	2,294	3,900	3,900	13,000	7,400	
LT 275	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,280	5,424	3,163	2,261	3,900	3,900	14,000	8,450	
RAM QUAD CAB 4WD SHORT BED LARAMIE													DR6P41	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,310	5,386	3,138	2,248	3,900	3,900	11,500	5,950	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,310	5,386	3,138	2,248	3,900	3,900	12,500	6,950	
20"	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,310	5,393	3,140	2,253	3,900	3,900	11,500	5,950	
LT 275	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,240	5,457	3,180	2,277	3,900	3,900	12,500	6,900	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,390	5,312	3,088	2,224	3,900	3,900	11,500	6,050	
17" base	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,390	5,312	3,088	2,224	3,900	3,900	12,500	7,050	
20"	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,290	5,409	3,124	2,285	3,900	3,900	11,500	5,950	
LT 275	4.7L V8 gas FFV [®]	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,320	5,383	3,131	2,252	3,900	3,900	12,500	6,950	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,210	5,486	3,198	2,288	3,900	3,900	13,000	7,350	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,210	5,486	3,198	2,288	3,900	3,900	14,000	8,350	
20"	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,210	5,493	3,201	2,292	3,900	3,900	13,000	7,350	
LT 275	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,140	5,557	3,241	2,316	3,900	3,900	14,000	8,300	
NOTE:														
1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight														
2. Maximum trailer weights are rounded to the nearest 50lbs.														
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)														
®-4.7 L V8 Gas FFV 45 State Emission Fleet Only														

[Site Map](#)

[Main Menu](#)

[PRINT](#)

ALL

IN

OUT

RAM TRAILER TOW INFORMATION 1500

RAM QUAD CAB 4WD LONG BED ST													DR6L42	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,800	1,400	5,404	3,167	2,237	3,900	3,900	10,500	4,950	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,340	5,461	3,213	2,248	3,900	3,900	12,500	6,900	
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,300	5,500	3,221	2,279	3,900	3,900	12,500	6,850	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,220	5,578	3,293	2,286	3,900	3,900	14,000	8,250	
RAM QUAD CAB 4WD LONG BED SLT													DR6H42	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,800	1,410	5,393	3,159	2,234	3,900	3,900	10,500	4,950	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,350	5,450	3,205	2,245	3,900	3,900	12,500	6,900	
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,310	5,489	3,213	2,276	3,900	3,900	12,500	6,850	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,230	5,568	3,285	2,282	3,900	3,900	14,000	8,300	
RAM QUAD CAB 4WD LONG BED LARAMIE													DR6P42	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,240	5,562	3,263	2,299	3,900	3,900	12,500	6,800	
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,140	5,662	3,323	2,339	3,900	3,900	14,000	8,200	
NOTE:														
1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight 2. Maximum trailer weights are rounded to the nearest 50lbs. Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver) @- 4.7 L V8 Gas FFV 45 State Emission Fleet Only														

[Site Map](#)

[Main Menu](#)

PRINT

ALL

IN

OUT

RAM TRAILER TOW INFORMATION 1500

RAM REG CAB 4WD SHORT BED ST										DR6L61			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,350	1,450	4,899	2,861	2,039	3,900	3,900	9,500	4,450
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,450	4,899	2,861	2,039	3,900	3,900	10,500	5,450
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,390	4,956	2,902	2,054	3,900	3,900	11,500	6,400
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,390	4,956	2,902	2,054	3,900	3,900	12,500	7,400
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,360	4,995	2,914	2,081	3,900	3,900	11,500	6,350
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,360	4,995	2,914	2,081	3,900	3,900	12,500	7,350
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,280	5,074	2,986	2,088	3,900	3,900	13,000	7,800
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,280	5,074	2,986	2,088	3,900	3,900	14,000	8,800
RAM REG CAB 4WD SHORT BED SLT										DR6H61			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,350	1,430	4,919	2,842	2,077	3,900	3,900	9,500	4,450
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,430	4,919	2,842	2,077	3,900	3,900	10,500	5,450
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,370	4,975	2,884	2,092	3,900	3,900	11,500	6,350
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,370	4,975	2,884	2,092	3,900	3,900	12,500	7,350
20"	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,330	5,015	2,876	2,139	3,900	3,900	9,500	4,350
20"	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,280	5,072	2,918	2,154	3,900	3,900	11,500	6,300
LT 275	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,360	4,990	2,884	2,105	3,900	3,900	10,500	5,350
LT 275	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,300	5,046	2,926	2,120	3,900	3,900	12,500	7,300
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,340	5,014	2,895	2,119	3,900	3,900	11,500	6,350
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,340	5,014	2,895	2,119	3,900	3,900	12,500	7,350
20"	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,240	5,111	2,930	2,181	3,900	3,900	11,500	6,250
LT 275	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,170	5,182	2,972	2,209	3,900	3,900	12,500	7,150
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,360	4,994	2,932	2,062	3,900	3,900	13,000	7,850
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,360	4,994	2,932	2,062	3,900	3,900	14,000	8,850
20"	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,260	5,091	2,967	2,124	3,900	3,900	13,000	7,750
LT 275	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,280	5,065	2,975	2,090	3,900	3,900	14,000	8,800
RAM REG CAB 4WD SHORT BED LARAMIE										DR6P61			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,390	4,959	2,907	2,051	3,900	3,900	11,500	6,400
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,390	4,959	2,907	2,051	3,900	3,900	12,500	7,400
20"	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,380	4,966	2,910	2,056	3,900	3,900	11,500	6,400
LT 275	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,320	5,030	2,950	2,080	3,900	3,900	12,500	7,300
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,360	4,993	2,912	2,081	3,900	3,900	11,500	6,350
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,360	4,993	2,912	2,081	3,900	3,900	12,500	7,350
20"	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,350	5,001	2,914	2,086	3,900	3,900	11,500	6,350
LT 275	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,290	5,064	2,954	2,110	3,900	3,900	12,500	7,300
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.55	6,350	1,290	5,059	2,968	2,091	3,900	3,900	13,000	7,800
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,290	5,059	2,968	2,091	3,900	3,900	14,000	8,800
20"	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,280	5,066	2,970	2,096	3,900	3,900	13,000	7,800
LT 275	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGO)	3.92	6,350	1,220	5,130	3,010	2,119	3,900	3,900	14,000	8,700
NOTE:													
1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight													
2. Maximum trailer weights are rounded to the nearest 50lbs.													
Maximum Trailer Weight = GCWR - Curb Weight - 150lbs. (allowance for driver)													
® - 4.7 L V8 Gas FFV 45 State Emission Fleet Only													

[Site Map](#)

[Main Menu](#)

[PRINT](#)

ALL

IN

OUT

RAM TRAILER TOW INFORMATION 1500

RAM REG CAB 4WD LONG BED ST							DR6L62						
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,520	5,078	3,020	2,058	3,900	3,900	9,500	4,250
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,520	5,078	3,020	2,058	3,900	3,900	10,500	5,250
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,470	5,134	3,064	2,071	3,900	3,900	11,500	6,200
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,470	5,134	3,064	2,071	3,900	3,900	12,500	7,200
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,430	5,173	3,073	2,100	3,900	3,900	11,500	6,200
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,430	5,173	3,073	2,100	3,900	3,900	12,500	7,200
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,350	5,252	3,145	2,107	3,900	3,900	13,000	7,600
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,350	5,252	3,145	2,107	3,900	3,900	14,000	8,600
RAM REG CAB 4WD LONG BED SLT							DR6H62						
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,510	5,093	2,998	2,095	3,900	3,900	9,500	4,250
17" base	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,510	5,093	2,998	2,095	3,900	3,900	10,500	5,250
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,450	5,150	3,042	2,108	3,900	3,900	11,500	6,200
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,450	5,150	3,042	2,108	3,900	3,900	12,500	7,200
LT 275	4.7L V8 gas OHC	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,440	5,164	3,041	2,124	3,900	3,900	10,500	5,200
LT 275	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,380	5,221	3,085	2,136	3,900	3,900	12,500	7,150
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,410	5,189	3,052	2,137	3,900	3,900	11,500	6,150
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,410	5,189	3,052	2,137	3,900	3,900	12,500	7,150
LT 275	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,340	5,260	3,094	2,166	3,900	3,900	12,500	7,100
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,380	5,216	3,080	2,135	3,900	3,900	13,000	7,650
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,380	5,216	3,080	2,135	3,900	3,900	14,000	8,650
LT 275	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,310	5,287	3,123	2,164	3,900	3,900	14,000	8,550
RAM REG CAB 4WD LONG BED LARAMIE							DR6P62						
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,440	5,155	3,010	2,145	3,900	3,900	11,500	6,200
17" base	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,440	5,155	3,010	2,145	3,900	3,900	12,500	7,200
LT 275	4.7L V8 gas OHC	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,370	5,226	3,052	2,174	3,900	3,900	12,500	7,100
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,410	5,190	3,014	2,175	3,900	3,900	11,500	6,150
17" base	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,410	5,190	3,014	2,175	3,900	3,900	12,500	7,150
LT 275	4.7L V8 gas FFV®	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,340	5,261	3,057	2,204	3,900	3,900	12,500	7,100
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,340	5,255	3,070	2,185	3,900	3,900	13,000	7,600
17" base	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,340	5,255	3,070	2,185	3,900	3,900	14,000	8,600
LT 275	5.7L V8 gas	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,270	5,326	3,113	2,213	3,900	3,900	14,000	8,500
NOTE:													
1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight													
2. Maximum trailer weights are rounded to the nearest 50lbs.													
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)													
@- 4.7 L V8 Gas FFV 45 State Emission Fleet Only													

[Site Map](#)

[Main Menu](#)

[PRINT](#)

ALL

IN

OUT