

2007 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD SHORT BED ST													DR 1L41		
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail		
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,770	4,930	2,732	2,197	3,700	3,900	8,000	2,900		
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,770	4,930	2,732	2,197	3,700	3,900	8,000	2,900		
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,700	1,780	4,918	2,726	2,191	3,700	3,900	8,500	3,450		
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,720	4,985	2,786	2,199	3,700	3,900	9,000	3,850		
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,720	4,985	2,786	2,199	3,700	3,900	10,500	5,350		
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,680	5,025	2,831	2,193	3,700	3,900	11,500	6,350		
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,680	5,025	2,831	2,193	3,700	3,900	12,500	7,350		
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,680	5,025	2,831	2,193	3,700	3,900	11,500	6,350		
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,680	5,025	2,831	2,193	3,700	3,900	12,500	7,350		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,590	5,106	2,895	2,211	3,700	3,900	13,000	7,750		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,590	5,106	2,895	2,211	3,700	3,900	14,000	8,750		

RAM QUAD CAB 2WD SHORT BED SLT													DR 1H41		
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail		
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,730	4,974	2,796	2,178	3,700	3,900	9,000	3,900		
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,730	4,974	2,796	2,178	3,700	3,900	10,500	5,400		
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,690	5,014	2,841	2,172	3,700	3,900	11,500	6,350		
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,690	5,014	2,841	2,172	3,700	3,900	12,500	7,350		
20"	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,630	5,075	2,837	2,237	3,700	3,900	9,500	4,300		
20"	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,560	5,136	2,886	2,249	3,700	3,900	11,500	6,200		
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,690	5,014	2,841	2,172	3,700	3,900	11,500	6,350		
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,690	5,014	2,841	2,172	3,700	3,900	12,500	7,350		
20"	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,590	5,115	2,883	2,232	3,700	3,900	11,500	6,250		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,600	5,095	2,905	2,190	3,700	3,900	13,000	7,750		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,600	5,095	2,905	2,190	3,700	3,900	14,000	8,750		
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,500	5,196	2,947	2,250	3,700	3,900	13,000	7,650		

RAM QUAD CAB 2WD SHORT BED LARAMIE													DR 1P41		
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,470	5,232	2,983	2,249	3,700	3,900	13,000	7,600		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,470	5,232	2,983	2,249	3,700	3,900	14,000	8,600		
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,390	5,306	3,011	2,295	3,700	3,900	13,000	7,550		

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. All the above ratings are valid with Trailer Tow Package only.
4. 4.7L V-8 FFV Engine (EVD) with Automatic Transmission - 45 States Retail, Federal emissions.
4.7L V8 Engine (EVA) with Automatic Transmission - California emissions (California, massachusetts, Maine, New York, and Vermont).



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED ST							DR 1L42							
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,440	5,260	2,979	2,281	3,700	3,900	11,500	6,100	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,440	5,260	2,979	2,281	3,700	3,900	12,500	7,100	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,440	5,260	2,979	2,281	3,700	3,900	11,500	6,100	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,440	5,260	2,979	2,281	3,700	3,900	12,500	7,100	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,360	5,342	3,043	2,298	3,700	3,900	13,000	7,500	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,360	5,342	3,043	2,298	3,700	3,900	14,000	8,500	

RAM QUAD CAB 2WD LONG BED SLT							DR 1H42							
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,450	5,249	2,990	2,260	3,700	3,900	11,500	6,100	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,450	5,249	2,990	2,260	3,700	3,900	12,500	7,100	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,450	5,249	2,990	2,260	3,700	3,900	11,500	6,100	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,450	5,249	2,990	2,260	3,700	3,900	12,500	7,100	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,370	5,331	3,053	2,277	3,700	3,900	13,000	7,500	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,370	5,331	3,053	2,277	3,700	3,900	14,000	8,500	

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. All the above ratings are valid with Trailer Tow Package only.
4. 4.7L V-8 FFV Engine (EVD) with Automatic Transmission - 45 States Retail, Federal emissions.
4.7L V8 Engine (EVA) with Automatic Transmission - California emissions (California, Massachusetts, Maine, New York, and Vermont).

2007 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 2WD SHORT BED ST

DR 1L61

Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,470	4,551	2,555	1,996	3,700	3,900	8,000	3,300
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,025	1,470	4,551	2,555	1,996	3,700	3,900	8,000	3,300
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.55	6,025	1,470	4,550	2,550	2,000	3,700	3,900	8,500	3,800
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,025	1,470	4,550	2,550	2,000	3,700	3,900	8,500	3,800
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,420	4,606	2,609	1,998	3,700	3,900	9,000	4,250
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,420	4,606	2,609	1,998	3,700	3,900	10,500	5,750
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,360	4,669	2,656	2,014	3,700	3,900	11,500	6,700
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,360	4,669	2,656	2,014	3,700	3,900	12,500	7,700
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,360	4,669	2,656	2,013	3,700	3,900	11,500	6,700
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,360	4,669	2,656	2,013	3,700	3,900	12,500	7,700
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,200	1,450	4,751	2,720	2,031	3,700	3,900	13,000	8,100
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,450	4,751	2,720	2,031	3,700	3,900	14,000	9,100

RAM REGULAR CAB 2WD SHORT BED SLT

DR 1H61

Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,420	4,605	2,620	1,985	3,700	3,900	9,000	4,250
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,420	4,605	2,620	1,985	3,700	3,900	10,500	5,750
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,360	4,668	2,667	2,001	3,700	3,900	11,500	6,700
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,360	4,668	2,667	2,001	3,700	3,900	12,500	7,700
20"	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,320	4,706	2,661	2,045	3,700	3,900	9,500	4,650
20"	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,260	4,769	2,708	2,061	3,700	3,900	11,500	6,600
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,360	4,668	2,668	2,000	3,700	3,900	11,500	6,700
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,360	4,668	2,668	2,000	3,700	3,900	12,500	7,700
20"	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,260	4,769	2,709	2,060	3,700	3,900	11,500	6,600
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,200	1,450	4,749	2,732	2,018	3,700	3,900	13,000	8,100
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,450	4,749	2,732	2,018	3,700	3,900	14,000	9,100
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,350	4,851	2,773	2,078	3,700	3,900	13,000	8,000

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. All the above ratings are valid with Trailer Tow Package only.
4. 4.7L V-8 FFV Engine (EVD) with Automatic Transmission - 45 States Retail, Federal emissions.
4.7L V8 Engine (EVA) with Automatic Transmission - California emissions (California, massachusetts, Maine, New York, and Vermont).



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 2WD LONG BED ST

DR 1L62

Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,810	4,791	2,691	2,101	3,700	3,900	8,000	3,050
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,810	4,791	2,691	2,101	3,700	3,900	8,000	3,050
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,600	1,820	4,779	2,685	2,095	3,700	3,900	8,500	3,550
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,740	4,862	2,755	2,106	3,700	3,900	9,000	4,000
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,740	4,862	2,755	2,106	3,700	3,900	10,500	5,500
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,700	4,899	2,800	2,098	3,700	3,900	11,500	6,450
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,700	4,899	2,800	2,098	3,700	3,900	12,500	7,450
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,700	4,899	2,800	2,098	3,700	3,900	11,500	6,450
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,700	4,899	2,800	2,098	3,700	3,900	12,500	7,450
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,620	4,980	2,864	2,116	3,700	3,900	13,000	7,850
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,620	4,980	2,864	2,116	3,700	3,900	14,000	8,850

RAM REGULAR CAB 2WD LONG BED SLT

DR 1H62

Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,760	4,845	2,756	2,089	3,700	3,900	9,000	4,000
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,760	4,845	2,756	2,089	3,700	3,900	10,500	5,500
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,720	4,882	2,801	2,081	3,700	3,900	11,500	6,450
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,720	4,882	2,801	2,081	3,700	3,900	12,500	7,450
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,720	4,882	2,801	2,081	3,700	3,900	11,500	6,450
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,720	4,882	2,801	2,081	3,700	3,900	12,500	7,450
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,640	4,963	2,864	2,099	3,700	3,900	13,000	7,900
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,640	4,963	2,864	2,099	3,700	3,900	14,000	8,900

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. All the above ratings are valid with Trailer Tow Package only.
4. 4.7L V-8 FFV Engine (EVD) with Automatic Transmission - 45 States Retail, Federal emissions.
4.7L V8 Engine (EVA) with Automatic Transmission - California emissions (California, massachusetts, Maine, New York, and Vermont).



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD SHORT BED ST														DR 6L41
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,500	5,203	3,006	2,197	3,900	3,900	9,500	4,150	
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,500	5,203	3,006	2,197	3,900	3,900	10,500	5,150	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,440	5,260	3,050	2,210	3,900	3,900	11,500	6,100	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,440	5,260	3,050	2,210	3,900	3,900	12,500	7,100	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,440	5,260	3,050	2,210	3,900	3,900	11,500	6,100	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,440	5,260	3,050	2,210	3,900	3,900	12,500	7,100	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,360	5,343	3,111	2,233	3,900	3,900	13,000	7,500	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,360	5,343	3,111	2,233	3,900	3,900	14,000	8,500	

RAM QUAD CAB 4WD SHORT BED SLT														DR 6H41
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,500	5,198	3,013	2,185	3,900	3,900	9,500	4,150	
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,500	5,198	3,013	2,185	3,900	3,900	10,500	5,150	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,450	5,255	3,057	2,198	3,900	3,900	11,500	6,100	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,450	5,255	3,057	2,198	3,900	3,900	12,500	7,100	
20"	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,400	5,299	3,055	2,244	3,900	3,900	9,500	4,050	
20"	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,340	5,356	3,099	2,257	3,900	3,900	11,500	6,000	
LT 275	4.7L V8 gas OHC (EVA)	M6	Getrag 6 sp MANU (DEJ)	3.92	6,700	1,430	5,268	3,035	2,233	3,900	3,900	10,500	5,100	
LT 275	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,380	5,325	3,079	2,246	3,900	3,900	12,500	7,050	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,440	5,255	3,058	2,198	3,900	3,900	11,500	6,100	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,440	5,255	3,058	2,198	3,900	3,900	12,500	7,100	
20"	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,340	5,356	3,099	2,257	3,900	3,900	11,500	6,000	
LT 275	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,370	5,325	3,083	2,242	3,900	3,900	12,500	7,000	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,360	5,339	3,118	2,220	3,900	3,900	13,000	7,500	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,360	5,339	3,118	2,220	3,900	3,900	14,000	8,500	
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,260	5,440	3,160	2,280	3,900	3,900	13,000	7,400	
LT 275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,290	5,412	3,152	2,260	3,900	3,900	14,000	8,450	

RAM QUAD CAB 4WD SHORT BED LARAMIE														DR 6P41
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,230	5,468	3,194	2,274	3,900	3,900	13,000	7,400	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,230	5,468	3,194	2,274	3,900	3,900	14,000	8,400	
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,160	5,541	3,222	2,319	3,900	3,900	13,000	7,300	

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. All the above ratings are valid with Trailer Tow Package only.
4. 4.7L V-8 FFV Engine (EVD) with Automatic Transmission - 45 States Retail, Federal emissions.
4.7L V8 Engine (EVA) with Automatic Transmission - California emissions (California, Massachusetts, Maine, New York, and Vermont).



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD LONG BED ST							DR 6L42							
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,320	5,482	3,204	2,277	3,900	3,900	12,500	6,850	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,320	5,482	3,204	2,277	3,900	3,900	12,500	6,850	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,240	5,561	3,258	2,303	3,900	3,900	14,000	8,300	

RAM QUAD CAB 4WD LONG BED SLT							DR 6H42							
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail	
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,330	5,473	3,205	2,268	3,900	3,900	12,500	6,900	
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,330	5,473	3,205	2,268	3,900	3,900	12,500	6,900	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,240	5,557	3,266	2,291	3,900	3,900	14,000	8,300	

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. All the above ratings are valid with Trailer Tow Package only.
4. 4.7L V-8 FFV Engine (EVD) with Automatic Transmission - 45 States Retail, Federal emissions.
4.7L V8 Engine (EVA) with Automatic Transmission - California emissions (California, massachusetts, Maine, New York, and Vermont).

2007 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM REG CAB 4WD SHORT BED ST							DR 6L61						
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,350	1,500	4,854	2,827	2,027	3,900	3,900	9,500	4,500
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,500	4,854	2,827	2,027	3,900	3,900	10,500	5,500
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,440	4,910	2,868	2,042	3,900	3,900	11,500	6,450
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,440	4,910	2,868	2,042	3,900	3,900	12,500	7,450
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,440	4,911	2,869	2,042	3,900	3,900	11,500	6,450
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,440	4,911	2,869	2,042	3,900	3,900	12,500	7,450
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,360	4,994	2,929	2,065	3,900	3,900	13,000	7,850
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,360	4,994	2,929	2,065	3,900	3,900	14,000	8,850

RAM REG CAB 4WD SHORT BED SLT							DR 6H61						
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,350	1,530	4,818	2,817	2,001	3,900	3,900	9,500	4,550
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,530	4,818	2,817	2,001	3,900	3,900	10,500	5,550
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,480	4,875	2,858	2,016	3,900	3,900	11,500	6,500
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,480	4,875	2,858	2,016	3,900	3,900	12,500	7,500
20"	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,430	4,919	2,858	2,061	3,900	3,900	9,500	4,450
20"	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,370	4,976	2,899	2,076	3,900	3,900	11,500	6,350
LT 275	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,430	4,916	2,850	2,065	3,900	3,900	10,500	5,450
LT 275	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,380	4,972	2,892	2,080	3,900	3,900	12,500	7,400
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,470	4,875	2,859	2,016	3,900	3,900	11,500	6,450
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,470	4,875	2,859	2,016	3,900	3,900	12,500	7,450
20"	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,370	4,976	2,900	2,076	3,900	3,900	11,500	6,350
LT 275	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,380	4,973	2,897	2,076	3,900	3,900	12,500	7,400
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,380	4,965	2,924	2,041	3,900	3,900	13,000	7,900
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,380	4,965	2,924	2,041	3,900	3,900	14,000	8,900
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,280	5,067	2,966	2,101	3,900	3,900	13,000	7,800
LT 275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,290	5,059	2,967	2,092	3,900	3,900	14,000	8,800

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. All the above ratings are valid with Trailer Tow Package only.
4. 4.7L V-8 FFV Engine (EVD) with Automatic Transmission - 45 States Retail, Federal emissions.
4.7L V8 Engine (EVA) with Automatic Transmission - California emissions (California, massachusetts, Maine, New York, and Vermont).



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM REG CAB 4WD LONG BED ST														DR 6L62	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail		
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,540	5,065	2,957	2,108	3,900	3,900	9,500	4,300		
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,540	5,065	2,957	2,108	3,900	3,900	10,500	5,300		
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,480	5,122	3,001	2,121	3,900	3,900	11,500	6,250		
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,480	5,122	3,001	2,121	3,900	3,900	12,500	7,250		
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,480	5,122	3,001	2,121	3,900	3,900	11,500	6,250		
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,480	5,122	3,001	2,121	3,900	3,900	12,500	7,250		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,390	5,205	3,062	2,144	3,900	3,900	13,000	7,650		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,390	5,205	3,062	2,144	3,900	3,900	14,000	8,650		

RAM REG CAB 4WD LONG BED SLT														DR 6H62	
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max.Trail		
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,540	5,056	2,965	2,091	3,900	3,900	9,500	4,300		
17" base	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,540	5,056	2,965	2,091	3,900	3,900	10,500	5,300		
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,490	5,113	3,009	2,104	3,900	3,900	11,500	6,250		
17" base	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,490	5,113	3,009	2,104	3,900	3,900	12,500	7,250		
LT 275	4.7L V8 gas OHC (EVA)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,440	5,162	2,990	2,172	3,900	3,900	10,500	5,200		
LT 275	4.7L V8 gas OHC (EVA)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,380	5,219	3,034	2,185	3,900	3,900	12,500	7,150		
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,490	5,113	3,010	2,104	3,900	3,900	11,500	6,250		
17" base	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,490	5,113	3,010	2,104	3,900	3,900	12,500	7,250		
LT 275	4.7L V8 gas FFV (EVD)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,380	5,220	3,038	2,181	3,900	3,900	12,500	7,150		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,390	5,210	3,074	2,136	3,900	3,900	13,000	7,650		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,390	5,210	3,074	2,136	3,900	3,900	14,000	8,650		
LT 275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,290	5,306	3,107	2,199	3,900	3,900	14,000	8,550		

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. All the above ratings are valid with Trailer Tow Package only.
4. 4.7L V-8 FFV Engine (EVD) with Automatic Transmission - 45 States Retail, Federal emissions.
4.7L V8 Engine (EVA) with Automatic Transmission - California emissions (California, massachusetts, Maine, New York, and Vermont).



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD SHORT BED ST													DH 2L41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,130	5,671	3,065	2,606	4,410	6,000	15,000	9,200	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,130	5,671	3,065	2,606	4,410	6,000	17,000	11,200	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,210	5,589	2,989	2,600	4,410	6,000	15,000	9,250	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,210	5,589	2,989	2,600	4,410	6,000	17,000	11,250	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,550	6,446	3,812	2,634	4,630	6,000	20,000	13,400	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,630	6,365	3,748	2,617	4,630	6,000	20,000	13,500	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,630	6,365	3,748	2,617	4,630	6,000	20,000	13,500	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,460	6,539	3,905	2,634	4,630	6,000	20,000	13,300	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,570	6,431	3,824	2,608	4,630	6,000	20,000	13,400	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,570	6,431	3,824	2,608	4,630	6,000	20,000	13,400	

RAM QUAD CAB 2WD SHORT BED SLT													DH 2H41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,070	5,735	3,101	2,634	4,750	6,010	15,000	9,100	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,070	5,735	3,101	2,634	4,750	6,010	17,000	11,100	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,150	5,653	3,025	2,628	4,750	6,010	15,000	9,200	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,150	5,653	3,025	2,628	4,750	6,010	17,000	11,200	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,490	6,510	3,848	2,662	4,750	6,010	20,000	13,350	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,570	6,429	3,784	2,645	4,750	6,010	20,000	13,400	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,570	6,429	3,784	2,645	4,750	6,010	20,000	13,400	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,400	6,603	3,941	2,662	4,630	6,000	20,000	13,250	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,500	6,495	3,860	2,636	4,630	6,000	20,000	13,350	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,500	6,495	3,860	2,636	4,630	6,000	20,000	13,350	

RAM QUAD CAB 2WD SHORT BED LARAMIE													DH 2P41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,060	5,738	3,075	2,663	4,750	6,010	15,000	9,100	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,060	5,738	3,075	2,663	4,750	6,010	17,000	11,100	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,410	6,595	3,898	2,697	4,750	6,010	20,000	13,250	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,490	6,514	3,834	2,680	4,750	6,010	20,000	13,350	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,490	6,514	3,834	2,680	4,750	6,010	20,000	13,350	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,310	6,688	3,991	2,697	4,630	6,000	20,000	13,150	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,410	6,586	3,915	2,671	4,630	6,000	20,000	13,250	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,410	6,586	3,915	2,671	4,630	6,000	20,000	13,250	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED ST												DH 2L42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,020	5,776	3,225	2,551	4,410	6,000	15,000	9,050	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,020	5,776	3,225	2,551	4,410	6,000	17,000	11,050	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,100	5,700	3,150	2,550	4,410	6,000	15,000	9,150	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,100	5,700	3,150	2,550	4,410	6,000	17,000	11,150	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,420	6,581	3,964	2,617	4,630	6,000	20,000	13,250	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,500	6,502	3,898	2,604	4,630	6,000	20,000	13,350	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,500	6,502	3,898	2,604	4,750	6,010	20,000	13,350	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,674	4,057	2,617	4,630	6,000	20,000	13,200	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,420	6,580	3,983	2,597	4,630	6,000	20,000	13,250	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,420	6,580	3,983	2,597	4,630	6,000	20,000	13,250	

RAM QUAD CAB 2WD LONG BED SLT												DH 2H42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,960	5,841	3,265	2,576	4,750	6,010	15,000	9,000	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,960	5,841	3,265	2,576	4,750	6,010	17,000	11,000	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,040	5,765	3,190	2,575	4,750	6,010	15,000	9,100	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,040	5,765	3,190	2,575	4,750	6,010	17,000	11,100	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,350	6,647	4,004	2,643	4,750	6,010	20,000	13,200	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,430	6,568	3,938	2,630	4,750	6,010	20,000	13,300	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,430	6,568	3,938	2,630	4,750	6,010	20,000	13,300	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,260	6,740	4,097	2,643	4,630	6,000	20,000	13,100	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,350	6,646	4,023	2,623	4,630	6,000	20,000	13,200	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,350	6,646	4,023	2,623	4,630	6,000	20,000	13,200	

RAM QUAD CAB 2WD LONG BED LARAMIE												DH 2P42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,950	5,849	3,244	2,605	4,750	6,010	15,000	9,000	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,950	5,849	3,244	2,605	4,750	6,010	17,000	11,000	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,270	6,731	4,058	2,673	4,750	6,010	20,000	13,100	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,350	6,652	3,992	2,660	4,750	6,010	20,000	13,200	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,350	6,652	3,992	2,660	4,750	6,010	20,000	13,200	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,180	6,824	4,151	2,673	4,630	6,000	20,000	13,050	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,270	6,730	4,077	2,653	4,630	6,000	20,000	13,100	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,270	6,730	4,077	2,653	4,630	6,000	20,000	13,100	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 2WD LONG BED ST						DH 2L62						
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	3,210	5,440	3,042	2,398	4,410	6,000	15,000	9,400
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	3,210	5,440	3,042	2,398	4,410	6,000	17,000	11,400
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,290	5,358	2,966	2,392	4,410	6,000	15,000	9,500
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,290	5,358	2,966	2,392	4,410	6,000	17,000	11,500
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,720	6,284	3,827	2,457	4,630	6,000	20,000	13,550
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,790	6,211	3,772	2,439	4,630	6,000	20,000	13,650
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,790	6,211	3,772	2,439	4,750	6,010	20,000	13,650
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,620	6,377	3,920	2,457	4,630	6,000	20,000	13,450
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,720	6,277	3,847	2,430	4,630	6,000	20,000	13,550
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,720	6,277	3,847	2,430	4,630	6,000	20,000	13,550

RAM REGULAR CAB 2WD LONG BED SLT						DH 2H62						
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	3,180	5,472	3,063	2,409	4,750	6,010	15,000	9,400
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	3,180	5,472	3,063	2,409	4,750	6,010	17,000	11,400
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,260	5,390	2,987	2,403	4,750	6,010	15,000	9,450
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,260	5,390	2,987	2,403	4,750	6,010	17,000	11,450
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,680	6,316	3,848	2,468	4,750	6,010	20,000	13,550
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,760	6,243	3,793	2,450	4,750	6,010	20,000	13,600
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,760	6,243	3,793	2,450	4,750	6,010	20,000	13,600
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,590	6,409	3,941	2,468	4,630	6,000	20,000	13,450
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,690	6,309	3,868	2,441	4,630	6,000	20,000	13,550
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,690	6,309	3,868	2,441	4,630	6,000	20,000	13,550

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD SHORT BED ST													DH 7L41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,740	6,056	3,447	2,609	5,200	6,000	15,000	8,800	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,740	6,056	3,447	2,609	5,200	6,000	17,000	10,800	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,790	6,007	3,399	2,608	5,200	6,000	15,000	8,850	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,790	6,007	3,399	2,608	5,200	6,000	17,000	10,850	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,170	6,832	4,194	2,638	5,200	6,000	20,000	13,000	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,250	6,754	4,131	2,623	5,200	6,000	20,000	13,100	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,250	6,754	4,131	2,623	5,200	6,000	20,000	13,100	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,080	6,925	4,287	2,638	5,200	6,000	20,000	12,950	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,160	6,835	4,219	2,616	5,200	6,000	20,000	13,000	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,160	6,835	4,219	2,616	5,200	6,000	20,000	13,000	

RAM QUAD CAB 4WD SHORT BED SLT													DH 7H41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,680	6,121	3,483	2,638	5,200	6,010	15,000	8,750	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,680	6,121	3,483	2,638	5,200	6,010	17,000	10,750	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,730	6,072	3,435	2,637	5,200	6,010	15,000	8,800	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,730	6,072	3,435	2,637	5,200	6,010	17,000	10,800	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,100	6,896	4,230	2,666	5,200	6,010	20,000	12,950	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,180	6,818	4,167	2,651	5,200	6,010	20,000	13,050	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,180	6,818	4,167	2,651	5,200	6,000	20,000	13,050	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,010	6,989	4,323	2,666	5,200	6,000	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,100	6,899	4,255	2,644	5,200	6,000	20,000	12,950	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,100	6,899	4,255	2,644	5,200	6,000	20,000	12,950	

RAM QUAD CAB 4WD SHORT BED LARAMIE													DH 7P41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,640	6,157	3,486	2,671	5,200	6,010	15,000	8,700	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,640	6,157	3,486	2,671	5,200	6,010	17,000	10,700	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,020	6,981	4,280	2,701	5,200	6,010	20,000	12,850	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,100	6,903	4,217	2,686	5,200	6,010	20,000	12,950	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,100	6,903	4,217	2,686	5,200	6,000	20,000	12,950	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,930	7,074	4,373	2,701	5,200	6,000	20,000	12,800	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,020	6,984	4,305	2,679	5,200	6,000	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,020	6,984	4,305	2,679	5,200	6,000	20,000	12,850	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD SHORT BED SLT				DH 7H41- POWER WAGON									
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.56	8,510	2,200	6,312	3,667	2,645	4,500	6,140	17,000	10,550	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.56	8,510	2,250	6,260	3,618	2,642	4,500	6,140	17,000	10,600	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction

2007 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD LONG BED ST												DH 7L42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,590	6,206	3,597	2,609	5,200	6,000	15,000	8,650	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,590	6,206	3,597	2,609	5,200	6,000	17,000	10,650	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,640	6,157	3,549	2,608	5,200	6,000	15,000	8,700	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,640	6,157	3,549	2,608	5,200	6,000	17,000	10,700	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,990	7,012	4,336	2,676	5,200	6,000	20,000	12,850	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,070	6,934	4,271	2,663	5,200	6,000	20,000	12,900	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,070	6,934	4,271	2,663	5,200	6,000	20,000	12,900	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,900	7,105	4,429	2,676	5,200	6,000	20,000	12,750	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	1,980	7,015	4,358	2,657	5,200	6,000	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	1,980	7,015	4,358	2,657	5,200	6,000	20,000	12,850	

RAM QUAD CAB 4WD LONG BED SLT												DH 7H42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,530	6,271	3,636	2,635	5,200	6,010	15,000	8,600	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,530	6,271	3,636	2,635	5,200	6,010	17,000	10,600	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,580	6,222	3,588	2,634	5,200	6,010	15,000	8,650	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,580	6,222	3,588	2,634	5,200	6,010	17,000	10,650	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,920	7,076	4,375	2,701	5,200	6,010	20,000	12,750	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,000	6,998	4,310	2,688	5,200	6,010	20,000	12,850	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,000	6,998	4,310	2,688	5,200	6,000	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,830	7,169	4,468	2,701	5,200	6,000	20,000	12,700	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	1,920	7,079	4,397	2,682	5,200	6,000	20,000	12,750	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	1,920	7,079	4,397	2,682	5,200	6,000	20,000	12,750	

RAM QUAD CAB 4WD LONG BED LARAMIE												DH 7P42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,490	6,307	3,643	2,664	5,200	6,010	15,000	8,550	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,490	6,307	3,643	2,664	5,200	6,010	17,000	10,550	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,840	7,162	4,430	2,732	5,200	6,010	20,000	12,700	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	1,920	7,084	4,365	2,719	5,200	6,010	20,000	12,750	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	1,920	7,084	4,365	2,719	5,200	6,000	20,000	12,750	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,750	7,255	4,523	2,732	5,200	6,000	20,000	12,600	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	1,830	7,165	4,452	2,713	5,200	6,000	20,000	12,700	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	1,830	7,165	4,452	2,713	5,200	6,000	20,000	12,700	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 4WD LONG BED ST						DH 7L62						
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	2,750	5,902	3,437	2,465	5,200	6,000	15,000	8,950
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	2,750	5,902	3,437	2,465	5,200	6,000	17,000	10,950
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,800	5,853	3,389	2,464	5,200	6,000	15,000	9,000
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,800	5,853	3,389	2,464	5,200	6,000	17,000	11,000
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,320	6,677	4,184	2,493	5,200	6,000	20,000	13,150
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,400	6,599	4,121	2,478	5,200	6,000	20,000	13,250
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,400	6,599	4,121	2,478	5,200	6,000	20,000	13,250
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,230	6,770	4,277	2,493	5,200	6,000	20,000	13,100
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,320	6,684	4,215	2,469	5,200	6,000	20,000	13,150
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,320	6,684	4,215	2,469	5,200	6,000	20,000	13,150

RAM REGULAR CAB 4WD LONG BED SLT						DH 7H62						
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	2,720	5,934	3,458	2,476	5,200	6,010	15,000	8,900
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	2,720	5,934	3,458	2,476	5,200	6,010	17,000	10,900
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,770	5,885	3,410	2,475	5,200	6,010	15,000	8,950
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,770	5,885	3,410	2,475	5,200	6,010	17,000	10,950
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,290	6,709	4,205	2,504	5,200	6,010	20,000	13,150
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,370	6,631	4,142	2,489	5,200	6,010	20,000	13,200
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,370	6,631	4,142	2,489	5,200	6,000	20,000	13,200
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,200	6,802	4,298	2,504	5,200	6,000	20,000	13,050
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,280	6,716	4,236	2,480	5,200	6,000	20,000	13,150
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,280	6,716	4,236	2,480	5,200	6,000	20,000	13,150

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 4WD LONG BED SLT				DH 7H62- POWER WAGON									
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.56	8,510	2,390	6,122	3,640	2,482	4,500	6,140	17,000	10,750	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.56	8,510	2,430	6,076	3,593	2,483	4,500	6,140	17,000	10,750	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction

2007 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD SHORT BED - ST

D1 3L41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,580	6,522	3,831	2,691	4,750	6,200	23,000	16,350
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,660	6,441	3,767	2,674	4,750	6,200	21,000	14,400
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,660	6,441	3,767	2,674	4,750	6,200	23,000	16,400
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,470	6,627	3,932	2,695	4,750	6,200	23,000	16,200
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,580	6,519	3,851	2,669	4,750	6,200	21,000	14,350
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,580	6,519	3,851	2,669	4,750	6,200	23,000	16,350

RAM QUAD CAB 2WD SHORT BED - SLT

D1 3H41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,540	6,560	3,855	2,705	4,750	6,200	23,000	16,300
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,620	6,479	3,791	2,688	4,750	6,200	21,000	14,350
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,620	6,479	3,791	2,688	4,750	6,200	23,000	16,350
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,440	6,663	3,955	2,708	4,750	6,200	23,000	16,200
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,540	6,555	3,874	2,682	4,750	6,200	21,000	14,300
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,540	6,555	3,874	2,682	4,750	6,200	23,000	16,300

RAM QUAD CAB 2WD SHORT BED - LARAMIE

D1 3P41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,430	6,672	3,917	2,755	4,750	6,200	23,000	16,200
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,510	6,591	3,853	2,738	4,750	6,200	21,000	14,250
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,510	6,591	3,853	2,738	4,750	6,200	23,000	16,250
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,330	6,775	4,017	2,758	4,750	6,200	23,000	16,100
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,430	6,667	3,936	2,732	4,750	6,200	21,000	14,200
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,430	6,667	3,936	2,732	4,750	6,200	23,000	16,200

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED - ST

D1 3L42 (DRW) FOR BOX DELETE SEE NOTE BELOW

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	4,780	6,221	3,228	2,993	4,110	9,350	17,000	10,650
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	4,860	6,145	3,153	2,992	4,110	9,350	17,000	10,700
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,480	7,021	4,017	3,004	4,750	9,350	23,000	15,850
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	11,500	4,560	6,942	3,951	2,991	4,750	9,350	21,000	13,900
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	11,500	4,560	6,942	3,951	2,991	4,750	9,350	23,000	15,900
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,380	7,124	4,117	3,007	4,750	9,350	23,000	15,750
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	11,500	4,470	7,030	4,043	2,987	4,750	9,350	21,000	13,800
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	11,500	4,470	7,030	4,043	2,987	4,750	9,350	23,000	15,800

RAM QUAD CAB 2WD LONG BED - ST

D1 3L42 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,460	6,644	3,975	2,669	4,750	6,200	23,000	16,200
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,540	6,565	3,909	2,656	4,750	6,200	21,000	14,300
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,540	6,565	3,909	2,656	4,750	6,200	23,000	16,300
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,350	6,746	4,074	2,672	4,750	6,200	23,000	16,100
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,450	6,652	4,000	2,652	4,750	6,200	21,000	14,200
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,450	6,652	4,000	2,652	4,750	6,200	23,000	16,200

RAM QUAD CAB 2WD LONG BED - SLT

D1 3H42 (DRW) FOR BOX DELETE SEE NOTE BELOW

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	4,740	6,257	3,251	3,006	4,110	9,350	17,000	10,600
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	4,820	6,181	3,176	3,005	4,110	9,350	17,000	10,650
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,440	7,056	4,040	3,016	4,750	9,350	23,000	15,800
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	11,500	4,520	6,977	3,974	3,003	4,750	9,350	21,000	13,850
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	11,500	4,520	6,977	3,974	3,003	4,750	9,350	23,000	15,850
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,340	7,159	4,140	3,019	4,750	9,350	23,000	15,700
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	11,500	4,440	7,065	4,066	2,999	4,750	9,350	21,000	13,800
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	11,500	4,440	7,065	4,066	2,999	4,750	9,350	23,000	15,800

RAM QUAD CAB 2WD LONG BED - SLT

D1 3H42 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,410	6,689	4,003	2,686	4,750	6,200	23,000	16,150
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,490	6,610	3,937	2,673	4,750	6,200	21,000	14,250
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,490	6,610	3,937	2,673	4,750	6,200	23,000	16,250
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,310	6,791	4,102	2,689	4,750	6,200	23,000	16,050
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,400	6,697	4,028	2,669	4,750	6,200	21,000	14,150
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,400	6,697	4,028	2,669	4,750	6,200	23,000	16,150

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction

NOTE: GVW FOR 3500 BOX DELETE DUAL REAR WHEEL (XBC) IS 11,500 FOR 4x4 AND 11,000 FOR 4x2



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED - LARAMIE												D1 3P42 (DRW)		FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail			
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	4,630	6,368	3,319	3,049	4,110	9,350	17,000	10,500			
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	4,710	6,292	3,244	3,048	4,110	9,350	17,000	10,550			
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,330	7,169	4,109	3,060	4,750	9,350	23,000	15,700			
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	11,500	4,410	7,090	4,043	3,047	4,750	9,350	21,000	13,750			
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	11,500	4,410	7,090	4,043	3,047	4,750	9,350	23,000	15,750			
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,230	7,272	4,209	3,063	4,750	9,350	23,000	15,600			
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	11,500	4,320	7,178	4,135	3,043	4,750	9,350	21,000	13,650			
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	11,500	4,320	7,178	4,135	3,043	4,750	9,350	23,000	15,650			

RAM QUAD CAB 2WD LONG BED - LARAMIE												D1 3P42 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,300	6,801	4,071	2,730	4,750	6,200	23,000	16,050	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,380	6,722	4,005	2,717	4,750	6,200	21,000	14,150	
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,380	6,722	4,005	2,717	4,750	6,200	23,000	16,150	
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,200	6,904	4,171	2,733	4,750	6,200	23,000	15,950	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,290	6,810	4,097	2,713	4,750	6,200	21,000	14,050	
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,290	6,810	4,097	2,713	4,750	6,200	23,000	16,050	

RAM REGULAR CAB 2WD LONG BED - ST												D1 3L62 (DRW)		FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail			
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	5,070	5,930	3,085	2,845	4,110	9,350	17,000	10,900			
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	5,150	5,848	3,009	2,839	4,110	9,350	17,000	11,000			
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,780	6,718	3,862	2,856	4,750	9,350	23,000	16,150			
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	11,500	4,860	6,645	3,807	2,838	4,750	9,350	21,000	14,200			
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	11,500	4,860	6,645	3,807	2,838	4,750	9,350	23,000	16,200			
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,680	6,822	3,963	2,859	4,750	9,350	23,000	16,050			
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	11,500	4,780	6,722	3,890	2,832	4,750	9,350	21,000	14,150			
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	11,500	4,780	6,722	3,890	2,832	4,750	9,350	23,000	16,150			

RAM REGULAR CAB 2WD LONG BED - SLT												D1 3H62 (DRW)		FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail			
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	5,040	5,960	3,105	2,855	4,110	9,350	17,000	10,900			
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	5,120	5,878	3,029	2,849	4,110	9,350	17,000	10,950			
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,750	6,748	3,882	2,866	4,750	9,350	23,000	16,100			
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	11,500	4,830	6,675	3,827	2,848	4,750	9,350	21,000	14,200			
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	11,500	4,830	6,675	3,827	2,848	4,750	9,350	23,000	16,200			
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,650	6,852	3,983	2,869	4,750	9,350	23,000	16,000			
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	11,500	4,750	6,752	3,910	2,842	4,750	9,350	21,000	14,100			
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	11,500	4,750	6,752	3,910	2,842	4,750	9,350	23,000	16,100			

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction

NOTE: GVW FOR 3500 BOX DELETE DUAL REAR WHEEL (XBC) IS 11,500 FOR 4x4 AND 11,000 FOR 4x2



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD SHORT BED - ST D1 8L41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,170	6,929	4,210	2,719	5,200	6,200	23,000	15,900
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,250	6,851	4,147	2,704	5,200	6,200	21,000	14,000
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,250	6,851	4,147	2,704	5,200	6,200	23,000	16,000
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,070	7,033	4,311	2,722	5,200	6,200	23,000	15,800
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,160	6,943	4,243	2,700	5,200	6,200	21,000	13,900
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,160	6,943	4,243	2,700	5,200	6,200	23,000	15,900

RAM QUAD CAB 4WD SHORT BED - SLT D1 8H41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,130	6,966	4,233	2,733	5,200	6,200	23,000	15,900
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,210	6,888	4,170	2,718	5,200	6,200	21,000	13,950
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,210	6,888	4,170	2,718	5,200	6,200	23,000	15,950
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,030	7,070	4,334	2,736	5,200	6,200	23,000	15,800
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,120	6,980	4,266	2,714	5,200	6,200	21,000	13,850
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,120	6,980	4,266	2,714	5,200	6,200	23,000	15,850

RAM QUAD CAB 4WD SHORT BED - LARAMIE D1 8P41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,020	7,079	4,296	2,783	5,200	6,200	23,000	15,750
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,100	7,001	4,233	2,768	5,200	6,200	21,000	13,850
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,100	7,001	4,233	2,768	5,200	6,200	23,000	15,850
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,920	7,183	4,397	2,786	5,200	6,200	23,000	15,650
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,010	7,093	4,329	2,764	5,200	6,200	21,000	13,750
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,010	7,093	4,329	2,764	5,200	6,200	23,000	15,750

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD LONG BED - ST D1 8L42 (DRW) FOR BOX DELETE SEE NOTE BELOW

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	4,850	6,647	3,611	3,036	5,200	9,350	17,000	10,200
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	4,900	6,598	3,563	3,035	5,200	9,350	17,000	10,250
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,750	7,447	4,401	3,046	5,200	9,350	23,000	15,400
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	12,200	4,830	7,369	4,336	3,033	5,200	9,350	21,000	13,500
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	12,200	4,830	7,369	4,336	3,033	5,200	9,350	23,000	15,500
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,650	7,550	4,501	3,049	5,200	9,350	23,000	15,300
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	12,200	4,740	7,460	4,430	3,030	5,200	9,350	21,000	13,400
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	12,200	4,740	7,460	4,430	3,030	5,200	9,350	23,000	15,400

RAM QUAD CAB 4WD LONG BED ST D1 8L42 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,010	7,090	4,358	2,732	5,200	6,200	23,000	15,750
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,090	7,012	4,293	2,719	5,200	6,200	21,000	13,850
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,090	7,012	4,293	2,719	5,200	6,200	23,000	15,850
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,910	7,192	4,458	2,734	5,200	6,200	23,000	15,650
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,000	7,102	4,387	2,715	5,200	6,200	21,000	13,750
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,000	7,102	4,387	2,715	5,200	6,200	23,000	15,750

RAM QUAD CAB 4WD LONG BED - SLT D1 8H42 (DRW) FOR BOX DELETE SEE NOTE BELOW

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	4,820	6,683	3,635	3,048	5,200	9,350	17,000	10,150
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	4,870	6,634	3,587	3,047	5,200	9,350	17,000	10,200
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,720	7,483	4,424	3,059	5,200	9,350	23,000	15,350
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	12,200	4,790	7,405	4,359	3,046	5,200	9,350	21,000	13,450
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	12,200	4,790	7,405	4,359	3,046	5,200	9,350	23,000	15,450
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,610	7,586	4,525	3,061	5,200	9,350	23,000	15,250
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	12,200	4,700	7,496	4,454	3,042	5,200	9,350	21,000	13,350
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	12,200	4,700	7,496	4,454	3,042	5,200	9,350	23,000	15,350

RAM QUAD CAB 4WD LONG BED - SLT D1 8H42 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,970	7,135	4,386	2,749	5,200	6,200	23,000	15,700
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,040	7,057	4,321	2,736	5,200	6,200	21,000	13,800
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,040	7,057	4,321	2,736	5,200	6,200	23,000	15,800
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,860	7,237	4,486	2,751	5,200	6,200	23,000	15,600
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	2,950	7,147	4,415	2,732	5,200	6,200	21,000	13,700
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	2,950	7,147	4,415	2,732	5,200	6,200	23,000	15,700

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.

4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction

NOTE: GVW FOR 3500 BOX DELETE
DUAL REAR WHEEL (XBC) IS 11,500
FOR 4x4 AND 11,000 FOR 4x2



2007 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD LONG BED - LARAMIE D1 8P42 (DRW) FOR BOX DELETE SEE NOTE BELOW

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	4,710	6,795	3,703	3,092	5,200	9,350	17,000	10,050
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	4,750	6,746	3,655	3,091	5,200	9,350	17,000	10,100
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,610	7,595	4,493	3,102	5,200	9,350	23,000	15,250
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	12,200	4,680	7,517	4,428	3,089	5,200	9,350	21,000	13,350
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	12,200	4,680	7,517	4,428	3,089	5,200	9,350	23,000	15,350
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,500	7,698	4,593	3,105	5,200	9,350	23,000	15,150
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	12,200	4,590	7,608	4,522	3,086	5,200	9,350	21,000	13,250
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	12,200	4,590	7,608	4,522	3,086	5,200	9,350	23,000	15,250

RAM QUAD CAB 4WD LONG BED - LARAMIE D1 8P42 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,850	7,247	4,454	2,793	5,200	6,200	23,000	15,600
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	2,930	7,169	4,389	2,780	5,200	6,200	21,000	13,700
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	2,930	7,169	4,389	2,780	5,200	6,200	23,000	15,700
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,750	7,350	4,555	2,795	5,200	6,200	23,000	15,500
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	2,840	7,260	4,484	2,776	5,200	6,200	21,000	13,600
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	2,840	7,260	4,484	2,776	5,200	6,200	23,000	15,600

RAM REGULAR CAB 4WD LONG BED - ST D1 8L62 (DRW) FOR BOX DELETE SEE NOTE BELOW

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	5,130	6,373	3,479	2,894	5,200	9,350	17,000	10,500
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	5,180	6,324	3,431	2,893	5,200	9,350	17,000	10,550
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	5,240	6,957	4,092	2,865	5,200	9,350	23,000	15,900
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	12,200	5,320	6,879	4,029	2,850	5,200	9,350	21,000	13,950
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	12,200	5,320	6,879	4,029	2,850	5,200	9,350	23,000	15,950
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	5,140	7,061	4,193	2,868	5,200	9,350	23,000	15,800
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	12,200	5,230	6,975	4,131	2,844	5,200	9,350	21,000	13,900
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	12,200	5,230	6,975	4,131	2,844	5,200	9,350	23,000	15,900

RAM REGULAR CAB 4WD LONG BED - SLT D1 8H62 (DRW) FOR BOX DELETE SEE NOTE BELOW

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	5,100	6,403	3,499	2,904	5,200	9,350	17,000	10,450
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	5,150	6,354	3,451	2,903	5,200	9,350	17,000	10,500
5.9L 24V TDHO (ETH)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	5,210	6,987	4,112	2,875	5,200	9,350	23,000	15,850
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	12,200	5,290	6,909	4,049	2,860	5,200	9,350	21,000	13,950
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	12,200	5,290	6,909	4,049	2,860	5,200	9,350	23,000	15,950
6.7L 24V Turbo Diesel (ETJ) *	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	5,110	7,091	4,213	2,878	5,200	9,350	23,000	15,750
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	12,200	5,200	7,005	4,151	2,854	5,200	9,350	21,000	13,850
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	12,200	5,200	7,005	4,151	2,854	5,200	9,350	23,000	15,850

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-sp AUTO Transmission - 2007½ Introduction

NOTE: GVW FOR 3500 BOX DELETE DUAL REAR WHEEL (XBC) IS 11,500 FOR 4x4 AND 11,000 FOR 4x2

2007 BASE WEIGHTS/GCW/PAYLOAD MEGA CAB

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

1500 RAM MEGA CAB 2WD SHORT BED SLT													DH 1H81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,440	6,072	3,338	2,734	4,750	6,010	14,000	7,800		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,440	6,072	3,338	2,734	4,750	6,010	15,000	8,800		

1500 RAM MEGA CAB 2WD SHORT BED LARAMIE													DH 1P81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,420	6,088	3,358	2,730	4,750	6,010	14,000	7,750		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,420	6,088	3,358	2,730	4,750	6,010	15,000	8,750		

1500 RAM MEGA CAB 4WD SHORT BED SLT													DH 6H81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Curb Wt.	Base Curb Wt. Front	Base Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	1,980	6,529	3,737	2,792	5,200	6,010	14,000	7,300		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	1,980	6,529	3,737	2,792	5,200	6,010	15,000	8,300		

1500 RAM MEGA CAB 4WD SHORT BED LARAMIE													DH 6P81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	1,970	6,544	3,756	2,788	5,200	6,010	14,000	7,300		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	1,970	6,544	3,756	2,788	5,200	6,010	15,000	8,300		

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2007 BASE WEIGHTS/GCW/PAYLOAD MEGA CAB

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

2500 RAM MEGA CAB 2WD SHORT BED SLT

DH 2H81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,650	6,148	3,413	2,735	4,750	6,010	15,000	8,700
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,650	6,148	3,413	2,735	4,750	6,010	17,000	10,700
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	2,050	6,953	4,016	2,937	4,750	6,010	20,000	12,900
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,130	6,875	3,951	2,924	4,750	6,010	20,000	13,000
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,130	6,875	3,951	2,924	4,750	6,010	20,000	13,000
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,950	7,046	4,109	2,937	4,750	6,010	20,000	12,800
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,050	6,953	4,036	2,917	4,750	6,010	20,000	12,900
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,050	6,953	4,036	2,917	4,750	6,010	20,000	12,900

2500 RAM MEGA CAB 2WD SHORT BED LARAMIE

DH 2P81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,640	6,164	3,433	2,731	4,750	6,010	15,000	8,700
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,640	6,164	3,433	2,731	4,750	6,010	17,000	10,700
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	2,030	6,969	4,036	2,933	4,750	6,010	20,000	12,900
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	2,110	6,891	3,971	2,920	4,750	6,010	20,000	12,950
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	2,110	6,891	3,971	2,920	4,750	6,010	20,000	12,950
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,940	7,062	4,129	2,933	4,750	6,010	20,000	12,800
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	2,030	6,969	4,056	2,913	4,750	6,010	20,000	12,900
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	2,030	6,969	4,056	2,913	4,750	6,010	20,000	12,900

2500 RAM MEGA CAB 4WD SHORT BED SLT

DH 7H81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,220	6,578	3,785	2,793	5,200	6,010	15,000	8,250
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,220	6,578	3,785	2,793	5,200	6,010	17,000	10,250
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,620	7,384	4,388	2,996	5,200	6,010	20,000	12,450
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	1,690	7,307	4,324	2,983	5,200	6,010	20,000	12,550
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	1,690	7,307	4,324	2,983	5,200	6,010	20,000	12,550
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,520	7,477	4,481	2,996	4,750	6,010	20,000	12,350
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	1,610	7,388	4,411	2,977	4,750	6,010	20,000	12,450
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	1,610	7,388	4,411	2,977	4,750	6,010	20,000	12,450

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction



2007 BASE WEIGHTS/GCW/PAYLOAD MEGA CAB

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

2500 RAM MEGA CAB 4WD SHORT BED LARAMIE

DH 7P81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,210	6,593	3,804	2,789	5,200	6,010	15,000	8,250
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,210	6,593	3,804	2,789	5,200	6,010	17,000	10,250
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,600	7,400	4,408	2,992	5,200	6,010	20,000	12,450
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	9,000	1,680	7,323	4,344	2,979	5,200	6,010	20,000	12,550
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	9,000	1,680	7,323	4,344	2,979	5,200	6,010	20,000	12,550
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,510	7,493	4,501	2,992	4,750	6,010	20,000	12,350
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	9,000	1,600	7,404	4,431	2,973	4,750	6,010	20,000	12,450
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	9,000	1,600	7,404	4,431	2,973	4,750	6,010	20,000	12,450

3500 RAM MEGA CAB 2WD SHORT BED SLT

D1 3H81 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	3,110	6,988	4,066	2,922	4,750	6,200	23,000	15,850
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,190	6,910	4,001	2,909	4,750	6,200	21,000	13,950
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,190	6,910	4,001	2,909	4,750	6,200	23,000	15,950
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	3,010	7,091	4,166	2,925	4,750	6,200	23,000	15,750
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,100	6,998	4,093	2,905	4,750	6,200	21,000	13,850
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,100	6,998	4,093	2,905	4,750	6,200	23,000	15,850

3500 RAM MEGA CAB 2WD SHORT BED SLT

D1 3H81 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	3,150	7,346	4,103	3,243	4,750	9,350	23,000	15,500
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,500	3,230	7,268	4,038	3,230	4,750	9,350	21,000	13,600
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,500	3,230	7,268	4,038	3,230	4,750	9,350	23,000	15,600
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	3,050	7,449	4,203	3,246	4,750	9,350	23,000	15,400
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,500	3,140	7,356	4,130	3,226	4,750	9,350	21,000	13,500
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,500	3,140	7,356	4,130	3,226	4,750	9,350	23,000	15,500

3500 RAM MEGA CAB 2WD SHORT BED LARAMIE

D1 3P81 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	3,100	7,005	4,131	2,874	4,750	6,200	23,000	15,850
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	3,170	6,927	4,066	2,861	4,750	6,200	21,000	13,900
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	3,170	6,927	4,066	2,861	4,750	6,200	23,000	15,900
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,990	7,110	4,232	2,878	4,750	6,200	23,000	15,750
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	3,080	7,017	4,159	2,858	4,750	6,200	21,000	13,850
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	3,080	7,017	4,159	2,858	4,750	6,200	23,000	15,850

3500 RAM MEGA CAB 2WD SHORT BED LARAMIE

D1 3P81 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	3,080	7,418	4,196	3,222	4,750	9,350	23,000	15,450
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,500	3,160	7,340	4,131	3,209	4,750	9,350	21,000	13,500
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,500	3,160	7,340	4,131	3,209	4,750	9,350	23,000	15,500
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,980	7,522	4,296	3,226	4,750	9,350	23,000	15,350
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,500	3,070	7,429	4,223	3,206	4,750	9,350	21,000	13,400
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,500	3,070	7,429	4,223	3,206	4,750	9,350	23,000	15,400

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction

2007 BASE WEIGHTS/GCW/PAYLOAD MEGA CAB

10/10/2006

NOTE : BASE WEIGHTS CAN CHANGE

3500 RAM MEGA CAB 4WD SHORT BED SLT D1 8H81 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,710	7,391	4,392	2,999	5,200	6,200	23,000	15,450
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	2,790	7,313	4,327	2,986	5,200	6,200	21,000	13,550
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	2,790	7,313	4,327	2,986	5,200	6,200	23,000	15,550
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,610	7,494	4,493	3,001	4,750	6,200	23,000	15,350
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	2,690	7,405	4,423	2,982	4,750	6,200	21,000	13,450
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	2,690	7,405	4,423	2,982	4,750	6,200	23,000	15,450

3500 RAM MEGA CAB 4WD SHORT BED SLT D1 8H81 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,750	7,749	4,430	3,319	5,200	9,350	23,000	15,100
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,500	2,830	7,671	4,365	3,306	5,200	9,350	21,000	13,200
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,500	2,830	7,671	4,365	3,306	5,200	9,350	23,000	15,200
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,650	7,852	4,531	3,321	4,750	9,350	23,000	15,000
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,500	2,740	7,763	4,461	3,302	4,750	9,350	21,000	13,100
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,500	2,740	7,763	4,461	3,302	4,750	9,350	23,000	15,100

3500 RAM MEGA CAB 4WD SHORT BED LARAMIE D1 8P81 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,700	7,396	4,404	2,992	5,200	6,200	23,000	15,450
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,100	2,780	7,319	4,340	2,979	5,200	6,200	21,000	13,550
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,100	2,780	7,319	4,340	2,979	5,200	6,200	23,000	15,550
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,600	7,500	4,505	2,995	4,750	6,200	23,000	15,350
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,100	2,690	7,411	4,435	2,976	4,750	6,200	21,000	13,450
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,100	2,690	7,411	4,435	2,976	4,750	6,200	23,000	15,450

3500 RAM MEGA CAB 4WD SHORT BED LARAMIE D1 8P81 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.9L 24V TDHO (ETH)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,690	7,810	4,470	3,340	5,200	9,350	23,000	15,050
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	3.73	10,500	2,770	7,733	4,406	3,327	5,200	9,350	21,000	13,100
5.9L 24V TDHO (ETH)	A4	48RE 4 sp AUTO (DG8)	4.10	10,500	2,770	7,733	4,406	3,327	5,200	9,350	23,000	15,100
6.7L 24V Turbo Diesel (ETJ) *	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,590	7,914	4,571	3,343	4,750	9,350	23,000	14,950
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	3.73	10,500	2,670	7,825	4,501	3,324	4,750	9,350	21,000	13,000
6.7L 24V Turbo Diesel (ETJ) *	A6	68RFE 6 sp AUTO (DG7) **	4.10	10,500	2,670	7,825	4,501	3,324	4,750	9,350	23,000	15,000

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Recommend use an exhaust brake for all diesel applications with a trailer weight over 10,000 lbs.
4. * (ETJ) 6.7L Diesel - 2007½ Introduction, ** (DG7) 68RFE 6-spd AUTO Transmission - 2007½ Introduction

