

2008 RAM BASE WEIGHTS/GCW/PAYLOAD/TRAILER TOW 2500

**SELECT AN OPTION BELOW*

REGULAR CAB

➔ 140.5"WB 4x2

➔ 140.5"WB 4x4

➔ 140.5"WB 4x4
POWER WAGON

QUAD CAB

➔ 140.5"WB 4x2

➔ 140.5"WB 4x4

➔ 140.5"WB 4x4
POWER WAGON

➔ 160.5"WB 4x2

➔ 160.5"WB 4x4

MEGA CAB

➔ 160.5"WB 4x2

➔ 160.5"WB 4x4

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 140.5"WB 4x2

RAM REGULAR CAB 2500 140.5"WB 2WD LONG BED ST												DH 2L62	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	3,230	5,419	3,031	2,388	4,410	6,000	15,000	9,450	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	3,230	5,419	3,031	2,388	4,410	6,000	17,000	11,450	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,290	5,362	2,986	2,376	4,410	6,000	15,000	9,500	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,290	5,362	2,986	2,376	4,410	6,000	17,000	11,500	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,590	6,412	3,962	2,450	4,630	6,000	19,000	12,450	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,590	6,412	3,962	2,450	4,630	6,000	20,000	13,450	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,650	6,348	3,907	2,441	4,630	6,000	20,000	13,500	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,650	6,348	3,907	2,441	4,630	6,000	20,000	13,500	

RAM REGULAR CAB 2500 140.5"WB 2WD LONG BED SLT												DH 2H62	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	3,260	5,388	3,021	2,367	4,750	6,010	15,000	9,450	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	3,260	5,388	3,021	2,367	4,750	6,010	17,000	11,450	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,320	5,331	2,976	2,355	4,750	6,010	15,000	9,500	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,320	5,331	2,976	2,355	4,750	6,010	17,000	11,500	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,620	6,382	3,953	2,429	4,750	6,010	19,000	12,450	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,620	6,382	3,953	2,429	4,750	6,010	20,000	13,450	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,680	6,318	3,898	2,420	4,750	6,010	20,000	13,550	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,680	6,318	3,898	2,420	4,750	6,010	20,000	13,550	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 140.5"WB 4x4

RAM REGULAR CAB 2500 140.5"WB 4WD LONG BED ST												DH 7L62	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	2,770	5,880	3,425	2,455	5,200	6,000	15,000	8,950	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	2,770	5,880	3,425	2,455	5,200	6,000	17,000	10,950	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,820	5,830	3,376	2,454	5,200	6,000	15,000	9,000	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,820	5,830	3,376	2,454	5,200	6,000	17,000	11,000	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,200	6,802	4,316	2,486	5,200	6,000	19,000	12,050	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,200	6,802	4,316	2,486	5,200	6,000	20,000	13,050	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,260	6,745	4,261	2,484	5,200	6,000	20,000	13,100	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,260	6,745	4,261	2,484	5,200	6,000	20,000	13,100	

RAM REGULAR CAB 2500 140.5"WB 4WD LONG BED SLT												DH 7H62	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	2,800	5,855	3,420	2,435	5,200	6,010	15,000	9,000	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	2,800	5,855	3,420	2,435	5,200	6,010	17,000	11,000	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,840	5,812	3,378	2,434	5,200	6,010	15,000	9,050	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,840	5,812	3,378	2,434	5,200	6,010	17,000	11,050	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,220	6,777	4,311	2,466	5,200	6,010	19,000	12,050	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,220	6,777	4,311	2,466	5,200	6,010	20,000	13,050	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,270	6,726	4,262	2,464	5,200	6,010	20,000	13,100	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,270	6,726	4,262	2,464	5,200	6,010	20,000	13,100	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 140.5"WB 4x4 - POWER WAGON

RAM REGULAR CAB 2500 140.5"WB 4WD LONG BED SLT				DH 7H62- POWER WAGON								
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.56	8,510	2,390	6,120	3,658	2,462	4,500	6,140	17,000	10,750
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.56	8,510	2,430	6,077	3,616	2,461	4,500	6,140	17,000	10,750

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 140.5"WB 4x2

RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED ST DH 2L41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,210	5,593	3,076	2,516	4,410	6,000	15,000	9,250
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,210	5,593	3,076	2,516	4,410	6,000	17,000	11,250
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,260	5,538	3,029	2,508	4,410	6,000	15,000	9,300
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,260	5,538	3,029	2,508	4,410	6,000	17,000	11,300
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,450	6,551	3,960	2,591	4,630	6,000	19,000	12,300
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,450	6,551	3,960	2,591	4,630	6,000	20,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,510	6,487	3,906	2,581	4,630	6,000	20,000	13,350
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,510	6,487	3,906	2,581	4,630	6,000	20,000	13,350

RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED SLT DH 2H41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,210	5,588	3,091	2,497	4,750	6,010	15,000	9,250
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,210	5,588	3,091	2,497	4,750	6,010	17,000	11,250
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,270	5,533	3,044	2,489	4,750	6,010	15,000	9,300
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,270	5,533	3,044	2,489	4,750	6,010	17,000	11,300
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,450	6,546	3,975	2,572	4,750	6,010	19,000	12,300
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,450	6,546	3,975	2,572	4,750	6,010	20,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,520	6,482	3,921	2,562	4,750	6,010	20,000	13,350
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,520	6,482	3,921	2,562	4,750	6,010	20,000	13,350

RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED LARAMIE DH 2P41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,170	5,631	3,099	2,532	4,750	6,010	15,000	9,200
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,170	5,631	3,099	2,532	4,750	6,010	17,000	11,200
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,350	6,645	4,029	2,616	4,750	6,010	19,000	12,200
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,350	6,645	4,029	2,616	4,750	6,010	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,420	6,581	3,975	2,606	4,750	6,010	20,000	13,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,420	6,581	3,975	2,606	4,750	6,010	20,000	13,250

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 140.5"WB 4x4

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED ST

DH 7L41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,770	6,034	3,448	2,587	5,200	6,000	15,000	8,800
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,770	6,034	3,448	2,587	5,200	6,000	17,000	10,800
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,820	5,984	3,399	2,586	5,200	6,000	15,000	8,850
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,820	5,984	3,399	2,586	5,200	6,000	17,000	10,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,010	6,989	4,328	2,661	5,200	6,000	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,010	6,989	4,328	2,661	5,200	6,000	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,070	6,932	4,273	2,659	5,200	6,000	20,000	12,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,070	6,932	4,273	2,659	5,200	6,000	20,000	12,900

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED SLT

DH 7H41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,770	6,030	3,462	2,568	5,200	6,010	15,000	8,800
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,770	6,030	3,462	2,568	5,200	6,010	17,000	10,800
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,810	5,987	3,420	2,567	5,200	6,010	15,000	8,850
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,810	5,987	3,420	2,567	5,200	6,010	17,000	10,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,020	6,985	4,343	2,642	5,200	6,010	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,020	6,985	4,343	2,642	5,200	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,070	6,934	4,294	2,640	5,200	6,010	20,000	12,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,070	6,934	4,294	2,640	5,200	6,010	20,000	12,900

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED LARAMIE

DH 7P41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,720	6,078	3,467	2,611	5,200	6,010	15,000	8,750
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,720	6,078	3,467	2,611	5,200	6,010	17,000	10,750
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,920	7,083	4,397	2,686	5,200	6,010	19,000	11,750
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,920	7,083	4,397	2,686	5,200	6,010	20,000	12,750
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,970	7,032	4,348	2,684	5,200	6,010	20,000	12,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,970	7,032	4,348	2,684	5,200	6,010	20,000	12,800

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 140.5"WB 4x4 - POWER WAGON

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED SLT				DH 7H41- POWER WAGON								
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.56	8,510	2,220	6,293	3,698	2,594	4,500	6,140	17,000	10,550
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.56	8,510	2,260	6,250	3,656	2,593	4,500	6,140	17,000	10,600

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 160.5"WB 4x2

RAM QUAD CAB 2500 160.5"WB 2WD LONG BED ST													DH 2L42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,080	5,715	3,173	2,542	4,410	6,000	15,000	9,150	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,080	5,715	3,173	2,542	4,410	6,000	17,000	11,150	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,130	5,672	3,130	2,542	4,410	6,000	15,000	9,200	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,130	5,672	3,130	2,542	4,410	6,000	17,000	11,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,330	6,673	4,056	2,616	4,630	6,000	19,000	12,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,673	4,056	2,616	4,630	6,000	20,000	13,200	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,410	6,591	3,997	2,593	4,630	6,000	20,000	13,250	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,410	6,591	3,997	2,593	4,630	6,000	20,000	13,250	

RAM QUAD CAB 2500 160.5"WB 2WD LONG BED SLT													DH 2H42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,090	5,710	3,188	2,522	4,750	6,010	15,000	9,150	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,090	5,710	3,188	2,522	4,750	6,010	17,000	11,150	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,130	5,667	3,145	2,522	4,750	6,010	15,000	9,200	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,130	5,667	3,145	2,522	4,750	6,010	17,000	11,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,330	6,668	4,071	2,597	4,750	6,010	19,000	12,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,668	4,071	2,597	4,750	6,010	20,000	13,200	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,410	6,586	4,012	2,574	4,750	6,010	20,000	13,250	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,410	6,586	4,012	2,574	4,750	6,010	20,000	13,250	

RAM QUAD CAB 2500 160.5"WB 2WD LONG BED LARAMIE													DH 2P42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,030	5,768	3,203	2,565	4,750	6,010	15,000	9,100	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,030	5,768	3,203	2,565	4,750	6,010	17,000	11,100	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,230	6,768	4,128	2,640	4,750	6,010	19,000	12,100	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,230	6,768	4,128	2,640	4,750	6,010	20,000	13,100	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,310	6,686	4,069	2,617	4,750	6,010	20,000	13,150	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,310	6,686	4,069	2,617	4,750	6,010	20,000	13,150	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 160.5"WB 4x4

RAM QUAD CAB 2500 160.5"WB 4WD LONG BED ST													DH 7L42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,620	6,184	3,590	2,594	5,200	6,000	15,000	8,650	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,620	6,184	3,590	2,594	5,200	6,000	17,000	10,650	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,680	6,124	3,538	2,586	5,200	6,000	15,000	8,750	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,680	6,124	3,538	2,586	5,200	6,000	17,000	10,750	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,860	7,138	4,470	2,667	5,200	6,000	19,000	11,700	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,860	7,138	4,470	2,667	5,200	6,000	20,000	12,700	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,930	7,071	4,412	2,658	5,200	6,000	20,000	12,800	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,930	7,071	4,412	2,658	5,200	6,000	20,000	12,800	

RAM QUAD CAB 2500 160.5"WB 4WD LONG BED SLT													DH 7H42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,620	6,185	3,609	2,575	5,200	6,010	15,000	8,650	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,620	6,185	3,609	2,575	5,200	6,010	17,000	10,650	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,670	6,132	3,564	2,567	5,200	6,010	15,000	8,700	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,670	6,132	3,564	2,567	5,200	6,010	17,000	10,700	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,860	7,138	4,490	2,649	5,200	6,010	19,000	11,700	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,860	7,138	4,490	2,649	5,200	6,010	20,000	12,700	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,920	7,077	4,438	2,640	5,200	6,010	20,000	12,750	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,920	7,077	4,438	2,640	5,200	6,010	20,000	12,750	

RAM QUAD CAB 2500 160.5"WB 4WD LONG BED LARAMIE													DH 7P42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,580	6,215	3,607	2,608	5,200	6,010	15,000	8,650	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,580	6,215	3,607	2,608	5,200	6,010	17,000	10,650	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,770	7,229	4,539	2,689	5,200	6,010	19,000	11,600	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,770	7,229	4,539	2,689	5,200	6,010	20,000	12,600	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,830	7,168	4,487	2,680	5,200	6,010	20,000	12,700	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,830	7,168	4,487	2,680	5,200	6,010	20,000	12,700	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

MEGA CAB 160.5"WB 4x2

RAM MEGA CAB 2500 160.5"WB 2WD SHORT BED SLT													DH 2H81
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,770	6,034	3,259	2,775	4,750	6,010	15,000	8,800	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,770	6,034	3,259	2,775	4,750	6,010	17,000	10,800	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,940	7,059	4,208	2,850	4,750	6,010	19,000	11,800	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,940	7,059	4,208	2,850	4,750	6,010	20,000	12,800	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,020	6,976	4,149	2,826	4,750	6,010	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,020	6,976	4,149	2,826	4,750	6,010	20,000	12,850	

RAM MEGA CAB 2500 160.5"WB 2WD SHORT BED LARAMIE													DH 2P81
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,750	6,051	3,284	2,768	4,750	6,010	15,000	8,800	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,750	6,051	3,284	2,768	4,750	6,010	17,000	10,800	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,920	7,076	4,233	2,843	4,750	6,010	19,000	11,750	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,920	7,076	4,233	2,843	4,750	6,010	20,000	12,750	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,010	6,993	4,174	2,819	4,750	6,010	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,010	6,993	4,174	2,819	4,750	6,010	20,000	12,850	

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

MEGA CAB 160.5"WB 4x4

RAM MEGA CAB 2500 160.5"WB 4WD SHORT BED SLT

DH 7H81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,330	6,473	3,631	2,842	5,200	6,010	15,000	8,400
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,330	6,473	3,631	2,842	5,200	6,010	17,000	10,400
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,530	7,465	4,549	2,916	5,200	6,010	19,000	11,400
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,530	7,465	4,549	2,916	5,200	6,010	20,000	12,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,590	7,408	4,500	2,908	5,200	6,010	20,000	12,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,590	7,408	4,500	2,908	5,200	6,010	20,000	12,450

RAM MEGA CAB 2500 160.5"WB 4WD SHORT BED LARAMIE

DH 7P81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,310	6,487	3,653	2,833	5,200	6,010	15,000	8,350
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,310	6,487	3,653	2,833	5,200	6,010	17,000	10,350
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,520	7,479	4,571	2,908	5,200	6,010	19,000	11,350
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,520	7,479	4,571	2,908	5,200	6,010	20,000	12,350
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,580	7,422	4,522	2,900	5,200	6,010	20,000	12,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,580	7,422	4,522	2,900	5,200	6,010	20,000	12,450

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

