

# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD/TRAILER TOW 2500

*\*SELECT AN OPTION BELOW*

## REGULAR CAB


 140.5"WB 4x2

 140.5"WB 4x4

## QUAD CAB

 140.5"WB 4x2

 140.5"WB 4x4

 140.5"WB 4x4  
POWER WAGON

 160.5"WB 4x2

 160.5"WB 4x4

## MEGA CAB

 160.5"WB 4x2

 160.5"WB 4x4

# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

## REGULAR CAB 140.5"WB 4x2

### RAM REGULAR CAB 2500 140.5"WB 2WD LONG BED ST

### DH 2L62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (E2C)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,330	5,318	2,992	2,327	4,410	6,000	15,000	9,550
5.7L V8 gas (E2C)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,330	5,318	2,992	2,327	4,410	6,000	17,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,610	6,388	3,901	2,487	4,630	6,000	19,000	12,450
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,610	6,388	3,901	2,487	4,630	6,000	20,000	13,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,690	6,311	3,843	2,468	4,630	6,000	17,000	10,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,690	6,311	3,843	2,468	4,630	6,000	20,000	13,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,690	6,311	3,843	2,468	4,630	6,000	20,000	13,550

### RAM REGULAR CAB 2500 140.5"WB 2WD LONG BED SLT

### DH 2H62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (E2C)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,350	5,298	2,991	2,306	4,750	6,010	15,000	9,550
5.7L V8 gas (E2C)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,350	5,298	2,991	2,306	4,750	6,010	17,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,670	6,334	3,906	2,428	4,750	6,010	19,000	12,500
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,670	6,334	3,906	2,428	4,750	6,010	20,000	13,500
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,740	6,257	3,849	2,409	4,750	6,010	17,000	10,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,740	6,257	3,849	2,409	4,750	6,010	20,000	13,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,740	6,257	3,849	2,409	4,750	6,010	20,000	13,600

#### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**

# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

## REGULAR CAB 140.5"WB 4x4

### RAM REGULAR CAB 2500 140.5"WB 4WD LONG BED ST

### DH 7L62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,860	5,792	3,382	2,411	5,200	6,000	15,000	9,050
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,860	5,792	3,382	2,411	5,200	6,000	17,000	11,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,260	6,741	4,246	2,495	5,200	6,000	19,000	12,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,260	6,741	4,246	2,495	5,200	6,000	20,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,330	6,668	4,189	2,479	5,200	6,000	17,000	10,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,330	6,668	4,189	2,479	5,200	6,000	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,330	6,668	4,189	2,479	5,200	6,000	20,000	13,200

### RAM REGULAR CAB 2500 140.5"WB 4WD LONG BED SLT

### DH 7H62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,870	5,782	3,382	2,400	5,200	6,010	15,000	9,050
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,870	5,782	3,382	2,400	5,200	6,010	17,000	11,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,240	6,756	4,281	2,474	5,200	6,010	19,000	12,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,240	6,756	4,281	2,474	5,200	6,010	20,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,310	6,688	4,231	2,458	5,200	6,010	17,000	10,150
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,310	6,688	4,231	2,458	5,200	6,010	20,000	13,150
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,310	6,688	4,231	2,458	5,200	6,010	20,000	13,150

#### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**

# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

## QUAD CAB 140.5"WB 4x2

### RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED ST

### DH 2L41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,190	5,608	3,100	2,508	4,410	6,000	15,000	9,250
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,190	5,608	3,100	2,508	4,410	6,000	17,000	11,250
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,450	6,551	3,960	2,591	4,630	6,000	19,000	12,300
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,450	6,551	3,960	2,591	4,630	6,000	20,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,530	6,475	3,904	2,570	4,630	6,000	17,000	10,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,530	6,475	3,904	2,570	4,630	6,000	20,000	13,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,530	6,475	3,904	2,570	4,630	6,000	20,000	13,400

### RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED SLT

### DH 2H41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,650	5,154	3,140	2,014	4,750	6,010	15,000	9,700
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,650	5,154	3,140	2,014	4,750	6,010	17,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,450	6,546	3,975	2,572	4,750	6,010	19,000	12,300
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,450	6,546	3,975	2,572	4,750	6,010	20,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,530	6,470	3,918	2,551	4,750	6,010	17,000	10,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,530	6,470	3,918	2,551	4,750	6,010	20,000	13,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,530	6,470	3,918	2,551	4,750	6,010	20,000	13,400

### RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED LARAMIE

### DH 2P41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,600	5,201	3,143	2,058	4,750	6,010	15,000	9,650
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,600	5,201	3,143	2,058	4,750	6,010	17,000	11,650
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,360	6,645	4,029	2,616	4,750	6,010	19,000	12,200
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,360	6,645	4,029	2,616	4,750	6,010	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,430	6,568	3,973	2,595	4,750	6,010	17,000	10,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,430	6,568	3,973	2,595	4,750	6,010	20,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,430	6,568	3,973	2,595	4,750	6,010	20,000	13,300

#### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

● **OPTIONS**

● **Site Map**

● **Main Menu**

**PRINT**

● **ALL**

● **+**  
**IN**

● **-**  
**OUT**

# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

**QUAD CAB 140.5"WB 4x4**

## RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED ST

### DH 7L41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,740	6,062	3,484	2,578	5,200	6,000	15,000	8,800
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,740	6,062	3,484	2,578	5,200	6,000	17,000	10,800
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,010	6,990	4,329	2,661	5,200	6,000	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,010	6,990	4,329	2,661	5,200	6,000	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,080	6,916	4,272	2,644	5,200	6,000	17,000	9,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,080	6,916	4,272	2,644	5,200	6,000	20,000	12,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,080	6,916	4,272	2,644	5,200	6,000	20,000	12,950

## RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED SLT

### DH 7H41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,750	6,051	3,492	2,559	5,200	6,010	15,000	8,800
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,750	6,051	3,492	2,559	5,200	6,010	17,000	10,800
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,020	6,985	4,343	2,642	5,200	6,010	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,020	6,985	4,343	2,642	5,200	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,080	6,917	4,292	2,625	5,200	6,010	17,000	9,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,080	6,917	4,292	2,625	5,200	6,010	20,000	12,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,080	6,917	4,292	2,625	5,200	6,010	20,000	12,950

## RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED LARAMIE

### DH 7P41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,690	6,112	3,500	2,612	5,200	6,010	15,000	8,750
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,690	6,112	3,500	2,612	5,200	6,010	17,000	10,750
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,920	7,083	4,397	2,686	5,200	6,010	19,000	11,750
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,920	7,083	4,397	2,686	5,200	6,010	20,000	12,750
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,980	7,015	4,346	2,669	5,200	6,010	17,000	9,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,980	7,015	4,346	2,669	5,200	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,980	7,015	4,346	2,669	5,200	6,010	20,000	12,850

### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

**OPTIONS**

**Site Map**

**Main Menu**

**PRINT**



# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

## QUAD CAB 140.5"WB 4x4 - POWER WAGON

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED SLT				DH 7H41- POWER WAGON								
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGG)	4.56	8,510	2,180	6,327	3,711	2,617	4,500	6,140	17,000	10,500

### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs.  $\text{Payload} = \text{GVWR} - \text{Curb Wt.}$

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight =  $\text{GCWR} - \text{Curb wt.} - 150 \text{ lbs. (allowance for driver)}$

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**

# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

**QUAD CAB 160.5"WB 4x2**

## RAM QUAD CAB 2500 160.5"WB 2WD LONG BED ST

### DH 2L42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,060	5,737	3,198	2,539	4,410	6,000	15,000	9,100
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,060	5,737	3,198	2,539	4,410	6,000	17,000	11,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,330	6,673	4,056	2,616	4,630	6,000	19,000	12,200
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,673	4,056	2,616	4,630	6,000	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,400	6,603	4,001	2,602	4,630	6,000	17,000	10,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,400	6,603	4,001	2,602	4,630	6,000	20,000	13,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,400	6,603	4,001	2,602	4,630	6,000	20,000	13,250

## RAM QUAD CAB 2500 160.5"WB 2WD LONG BED SLT

### DH 2H42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,070	5,728	3,208	2,520	4,750	6,010	15,000	9,100
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,070	5,728	3,208	2,520	4,750	6,010	17,000	11,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,330	6,668	4,071	2,597	4,750	6,010	19,000	12,200
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,668	4,071	2,597	4,750	6,010	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,400	6,598	4,016	2,582	4,750	6,010	17,000	10,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,400	6,598	4,016	2,582	4,750	6,010	20,000	13,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,400	6,598	4,016	2,582	4,750	6,010	20,000	13,250

## RAM QUAD CAB 2500 160.5"WB 2WD LONG BED LARAMIE

### DH 2P42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,020	5,783	3,217	2,566	4,750	6,010	15,000	9,050
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,020	5,783	3,217	2,566	4,750	6,010	17,000	11,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,230	6,768	4,128	2,640	4,750	6,010	19,000	12,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,230	6,768	4,128	2,640	4,750	6,010	20,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,300	6,698	4,073	2,625	4,750	6,010	17,000	10,150
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,300	6,698	4,073	2,625	4,750	6,010	20,000	13,150
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,300	6,698	4,073	2,625	4,750	6,010	20,000	13,150

### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

**OPTIONS**

**Site Map**

**Main Menu**

**PRINT**

**ALL**

**IN**

**OUT**

# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

**QUAD CAB 160.5"WB 4x4**

## RAM QUAD CAB 2500 160.5"WB 4WD LONG BED ST

DH 7L42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,590	6,211	3,625	2,586	5,200	6,000	15,000	8,650
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,590	6,211	3,625	2,586	5,200	6,000	17,000	10,650
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,860	7,138	4,470	2,667	5,200	6,000	19,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,860	7,138	4,470	2,667	5,200	6,000	20,000	12,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,940	7,064	4,411	2,653	5,200	6,000	17,000	9,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,940	7,064	4,411	2,653	5,200	6,000	20,000	12,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,940	7,064	4,411	2,653	5,200	6,000	20,000	12,800

## RAM QUAD CAB 2500 160.5"WB 4WD LONG BED SLT

DH 7H42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,590	6,210	3,643	2,568	5,200	6,010	15,000	8,650
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,590	6,210	3,643	2,568	5,200	6,010	17,000	10,650
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,860	7,138	4,490	2,649	5,200	6,010	19,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,860	7,138	4,490	2,649	5,200	6,010	20,000	12,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,930	7,071	4,437	2,634	5,200	6,010	17,000	9,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,930	7,071	4,437	2,634	5,200	6,010	20,000	12,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,930	7,071	4,437	2,634	5,200	6,010	20,000	12,800

## RAM QUAD CAB 2500 160.5"WB 4WD LONG BED LARAMIE

DH 7P42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,550	6,249	3,640	2,609	5,200	6,010	15,000	8,600
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,550	6,249	3,640	2,609	5,200	6,010	17,000	10,600
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,770	7,229	4,539	2,689	5,200	6,010	19,000	11,600
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,770	7,229	4,539	2,689	5,200	6,010	20,000	12,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,830	7,168	4,487	2,680	5,200	6,010	17,000	9,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,830	7,168	4,487	2,680	5,200	6,010	20,000	12,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,830	7,168	4,487	2,680	5,200	6,010	20,000	12,700

### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

**OPTIONS**

**Site Map**

**Main Menu**

**PRINT**

**ALL**

**IN**

**OUT**



# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

## MEGA CAB 160.5"WB 4x2

### 2500 RAM MEGA CAB 160.5"WB 2WD SHORT BED SLT

### DH 2H81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,820	5,983	3,249	2,734	4,750	6,010	15,000	8,850
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,820	5,983	3,249	2,734	4,750	6,010	17,000	10,850
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	2,010	6,989	4,180	2,809	4,750	6,010	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	2,010	6,989	4,180	2,809	4,750	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,080	6,919	4,125	2,794	4,750	6,010	17,000	9,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,080	6,919	4,125	2,794	4,750	6,010	20,000	12,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,080	6,919	4,125	2,794	4,750	6,010	20,000	12,950

### 2500 RAM MEGA CAB 160.5"WB 2WD SHORT BED LARAMIE

### DH 2P81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,790	6,008	3,282	2,727	4,750	6,010	15,000	8,850
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,790	6,008	3,282	2,727	4,750	6,010	17,000	10,850
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,980	7,016	4,214	2,802	4,750	6,010	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,980	7,016	4,214	2,802	4,750	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,050	6,946	4,159	2,787	4,750	6,010	17,000	9,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,050	6,946	4,159	2,787	4,750	6,010	20,000	12,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,050	6,946	4,159	2,787	4,750	6,010	20,000	12,900

#### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



# 2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

## MEGA CAB 160.5"WB 4x4

### 2500 RAM MEGA CAB 160.5"WB 4WD SHORT BED SLT

### DH 7H81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,450	6,352	3,611	2,741	5,200	6,010	15,000	8,500
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,450	6,352	3,611	2,741	5,200	6,010	17,000	10,500
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,690	7,311	4,497	2,814	5,200	6,010	19,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,690	7,311	4,497	2,814	5,200	6,010	20,000	12,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,760	7,241	4,441	2,800	5,200	6,010	17,000	9,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,760	7,241	4,441	2,800	5,200	6,010	20,000	12,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,760	7,241	4,441	2,800	5,200	6,010	20,000	12,600

### 2500 RAM MEGA CAB 160.5"WB 4WD SHORT BED LARAMIE

### DH 7P81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,430	6,366	3,615	2,751	5,200	6,010	15,000	8,500
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,430	6,366	3,615	2,751	5,200	6,010	17,000	10,500
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,640	7,358	4,533	2,825	5,200	6,010	19,000	11,500
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,640	7,358	4,533	2,825	5,200	6,010	20,000	12,500
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,710	7,288	4,477	2,811	5,200	6,010	17,000	9,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,710	7,288	4,477	2,811	5,200	6,010	20,000	12,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,710	7,288	4,477	2,811	5,200	6,010	20,000	12,550

#### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

