

2012 RAM BASE WEIGHTS/GCW/PAYLOAD/TRAILER TOW 1500

SELECT AN OPTION BELOW

REGULAR CAB

- REGULAR CAB 6'4" BOX
- REGULAR CAB 6'4" RAMBOX
- REGULAR CAB 8'BOX
- REGULAR CAB 8'BOX HD

QUAD CAB

- QUAD CAB 6'4" BOX
- QUAD CAB 6'4" RAMBOX

CREW CAB

- CREW CAB 5'7" BOX
- CREW CAB 5'7" RAMBOX



2012 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 6'4" BOX

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Std Cab - 6'4" Box 4x2 - SLT / OUTDOORSMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,025	1,383	4,642	2,658	1,984	3,700	3,900	11,250	6,450
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,025	1,383	4,642	2,658	1,984	3,700	3,900	12,500	7,700
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,200	1,491	4,709	2,737	1,972	3,700	3,900	12,000	7,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,200	1,491	4,709	2,737	1,972	3,700	3,900	14,000	9,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,200	1,491	4,709	2,737	1,972	3,700	3,900	14,000	9,100
Std Cab - 6'4" Box 4x2 - ST / TRADESMAN / EXPRESS												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6,025	1,507	4,518	2,500	2,019	3,700	3,900	8,500	3,800
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,025	1,507	4,518	2,500	2,019	3,700	3,900	8,500	3,800
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,025	1,385	4,640	2,657	1,983	3,700	3,900	11,250	6,450
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,025	1,385	4,640	2,657	1,983	3,700	3,900	12,500	7,700
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,200	1,493	4,707	2,739	1,968	3,700	3,900	12,000	7,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,200	1,493	4,707	2,739	1,968	3,700	3,900	14,000	9,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,200	1,493	4,707	2,739	1,968	3,700	3,900	14,000	9,100
Std Cab - 6'4" Box 4x2 - SPORT (R/T)												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	4.1	6,200	1,412	4,788	2,710	2,078	3,700	3,900	10,000	5,050
Std Cab - 6'4" Box 4x4 - SLT / OUTDOORSMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,350	1,483	4,867	2,803	2,064	3,900	3,900	11,250	6,200
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,350	1,483	4,867	2,803	2,064	3,900	3,900	12,500	7,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,416	4,934	2,882	2,052	3,900	3,900	14,000	8,900
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,416	4,934	2,882	2,052	3,900	3,900	14,000	8,900
Std Cab - 6'4" Box 4x4 - ST / TRADESMAN / EXPRESS												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,350	1,484	4,866	2,821	2,045	3,900	3,900	11,250	6,200
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,350	1,484	4,866	2,821	2,045	3,900	3,900	12,500	7,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,417	4,933	2,899	2,034	3,900	3,900	14,000	8,900
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,417	4,933	2,899	2,034	3,900	3,900	14,000	8,900
Std Cab - 6'4" Box 4x4 - SPORT												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,345	5,005	2,871	2,135	3,900	3,900	14,000	8,800
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,345	5,005	2,871	2,135	3,900	3,900	14,000	8,800

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. In some cases payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded down to the nearest 50 lbs.
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.



2012 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE
REGULAR CAB 6'4" RAMBOX

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Std Cab - 6'4" Box 4x2 - SLT / OUTDOORSMAN - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,025	1,263	4,762	2,656	2,106	3,700	3,900	11,250	6,300
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,025	1,263	4,762	2,656	2,106	3,700	3,900	12,500	7,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,200	1,371	4,829	2,735	2,094	3,700	3,900	12,000	7,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,200	1,371	4,829	2,735	2,094	3,700	3,900	14,000	9,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,200	1,371	4,829	2,735	2,094	3,700	3,900	14,000	9,000
Std Cab - 6'4" Box 4x2 - ST / TRADESMAN / EXPRESS - Rambox												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6,025	1,387	4,638	2,498	2,141	3,700	3,900	8,500	3,700
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,025	1,387	4,638	2,498	2,141	3,700	3,900	8,500	3,700
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,025	1,265	4,760	2,655	2,105	3,700	3,900	11,250	6,300
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,025	1,265	4,760	2,655	2,105	3,700	3,900	12,500	7,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,200	1,373	4,827	2,737	2,090	3,700	3,900	12,000	7,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,200	1,373	4,827	2,737	2,090	3,700	3,900	14,000	9,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,200	1,373	4,827	2,737	2,090	3,700	3,900	14,000	9,000
Std Cab - 6'4" Box 4x2 - SPORT (R/T) - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	4.1	6,200	1,292	4,908	2,708	2,200	3,700	3,900	10,000	4,900
Std Cab - 6'4" Box 4x4 - SLT / OUTDOORSMAN - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,350	1,363	4,987	2,801	2,186	3,900	3,900	11,250	6,100
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,350	1,363	4,987	2,801	2,186	3,900	3,900	12,500	7,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,296	5,054	2,880	2,174	3,900	3,900	14,000	8,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,296	5,054	2,880	2,174	3,900	3,900	14,000	8,750
Std Cab - 6'4" Box 4x4 - ST / TRADESMAN / EXPRESS - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,350	1,364	4,986	2,819	2,167	3,900	3,900	11,250	6,100
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,350	1,364	4,986	2,819	2,167	3,900	3,900	12,500	7,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,297	5,053	2,897	2,156	3,900	3,900	14,000	8,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,297	5,053	2,897	2,156	3,900	3,900	14,000	8,750
Std Cab - 6'4" Box 4x4 - SPORT - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,225	5,125	2,869	2,257	3,900	3,900	14,000	8,700
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,225	5,125	2,869	2,257	3,900	3,900	14,000	8,700

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. In some cases payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded down to the nearest 50 lbs.
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.



2012 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 8'BOX

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Std Cab - 8' Box 4x2 - SLT / OUTDOORSMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,600	1,772	4,828	2,809	2,020	3,700	3,900	11,250	6,250
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,600	1,772	4,828	2,809	2,020	3,700	3,900	12,500	7,500
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,600	1,705	4,895	2,865	2,030	3,700	3,900	12,000	6,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,600	1,705	4,895	2,865	2,030	3,700	3,900	14,000	8,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,600	1,705	4,895	2,865	2,030	3,700	3,900	15,500	10,450
Std Cab - 8' Box 4x2 - ST / TRADESMAN												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6,600	1,909	4,691	2,653	2,038	3,700	3,900	8,500	3,650
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,600	1,909	4,691	2,653	2,038	3,700	3,900	8,500	3,650
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,600	1,773	4,827	2,792	2,035	3,700	3,900	11,250	6,250
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,600	1,773	4,827	2,792	2,035	3,700	3,900	12,500	7,500
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,600	1,706	4,894	2,877	2,017	3,700	3,900	12,000	6,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,600	1,706	4,894	2,877	2,017	3,700	3,900	14,000	8,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,600	1,706	4,894	2,877	2,017	3,700	3,900	15,500	10,450
Std Cab - 8' Box 4x2 - TRADESMAN HD												
5.7L V8 gas (EZC)	A6	66RFE (DFP)	4.1	8,610	3,125	5,485	3,063	2,422	4,750	6,000	17,500	11500
Std Cab - 8' Box 4x4 - SLT / OUTDOORSMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,600	1,567	5,033	2,942	2,091	3,900	3,900	11,250	6,050
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,600	1,567	5,033	2,942	2,091	3,900	3,900	12,500	7,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,600	1,500	5,100	2,999	2,101	3,900	3,900	14,000	8,700
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,600	1,500	5,100	2,999	2,101	3,900	3,900	15,500	10,200
Std Cab - 8' Box 4x4 - ST / TRADESMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,600	1,568	5,032	2,958	2,073	3,900	3,900	11,250	6,050
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,600	1,568	5,032	2,958	2,073	3,900	3,900	12,500	7,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,600	1,501	5,099	3,008	2,091	3,900	3,900	14,000	8,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,600	1,501	5,099	3,008	2,091	3,900	3,900	15,500	10,250

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. In some cases payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded down to the nearest 50 lbs.
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.



2012 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 8'BOX HD

RAM REGULAR CAB - 8' BOX 2WD - TRADESMAN HD												
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A6	66RFE 6 sp AUTO (DFP)	4.10	8,610	3,125	5,485	3,062	2,423	4,750	6,000	17,500	11,500
<p>Note that all the payload and Max Trail weights are ESTIMATED values.</p> <ol style="list-style-type: none"> 1. Payload = GVWR - Curb Wt or SAE complaint 2. Maximum trailer weights are rounded to the nearest 50 lbs. Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) 3. The recommended tongue weight is between 10 percent and 15 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,200 pounds. Additionally, the GAWRs and GVWRs should never be exceeded. 4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds. A fifth-wheel or gooseneck hitch is required for trailers over 12,000 pounds. 												



2012 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 6'4" BOX

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Quad Cab - 6'4" Box 4x2 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR												
4.7L V8 (EVE)	A6	66RFE(DG1)	3.55	6.700	1.668	5.032	2.883	2.149	3.700	3.900	11.250	6.050
4.7L V8 (EVE)	A6	66RFE(DG1)	3.92	6.700	1.668	5.032	2.883	2.149	3.700	3.900	12.500	7.300
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.21	6.700	1.611	5.089	2.935	2.154	3.700	3.900	12.000	6.750
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.55	6.700	1.611	5.089	2.935	2.154	3.700	3.900	14.000	8.750
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.92	6.700	1.611	5.089	2.935	2.154	3.700	3.900	15.500	10.250
Quad Cab - 6'4" Box 4x2 - ST / EXPRESS												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6.700	1.810	4.890	2.733	2.157	3.700	3.900	8.500	3.450
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6.700	1.810	4.890	2.733	2.157	3.700	3.900	8.500	3.450
4.7L V8 (EVE)	A6	66RFE(DG1)	3.55	6.700	1.674	5.026	2.875	2.151	3.700	3.900	11.250	6.050
4.7L V8 (EVE)	A6	66RFE(DG1)	3.92	6.700	1.674	5.026	2.875	2.151	3.700	3.900	12.500	7.300
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.21	6.700	1.614	5.086	2.925	2.161	3.700	3.900	12.000	6.750
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.55	6.700	1.614	5.086	2.925	2.161	3.700	3.900	14.000	8.750
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.92	6.700	1.614	5.086	2.925	2.161	3.700	3.900	15.500	10.250
Quad Cab - 6'4" Box 4x2 - LARAMIE												
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.21	6.700	1.431	5.269	3.017	2.252	3.700	3.900	12.000	6.550
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.55	6.700	1.431	5.269	3.017	2.252	3.700	3.900	14.000	8.550
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.92	6.700	1.431	5.269	3.017	2.252	3.700	3.900	15.500	10.050
Quad Cab - 6'4" Box 4x2 - SPORT												
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.21	6.700	1.486	5.214	2.976	2.238	3.700	3.900	12.000	6.600
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.55	6.700	1.486	5.214	2.976	2.238	3.700	3.900	14.000	8.600
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.92	6.700	1.486	5.214	2.976	2.238	3.700	3.900	15.500	10.100
Quad Cab - 6'4" Box 4x4 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR												
4.7L V8 (EVE)	A6	66RFE(DG1)	3.55	6.700	1.491	5.209	3.024	2.185	3.900	3.900	11.250	5.850
4.7L V8 (EVE)	A6	66RFE(DG1)	3.92	6.700	1.491	5.209	3.024	2.185	3.900	3.900	12.500	7.100
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.55	6.700	1.406	5.294	3.103	2.191	3.900	3.900	14.000	8.550
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.92	6.700	1.406	5.294	3.103	2.191	3.900	3.900	15.500	10.050
Quad Cab - 6'4" Box 4x4 - ST / EXPRESS												
4.7L V8 (EVE)	A6	66RFE(DG1)	3.55	6.700	1.497	5.203	3.040	2.163	3.900	3.900	11.250	5.850
4.7L V8 (EVE)	A6	66RFE(DG1)	3.92	6.700	1.497	5.203	3.040	2.163	3.900	3.900	12.500	7.100
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.55	6.700	1.409	5.291	3.089	2.201	3.900	3.900	14.000	8.550
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.92	6.700	1.409	5.291	3.089	2.201	3.900	3.900	15.500	10.050
Quad Cab - 6'4" Box 4x4 - LARAMIE												
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.55	6.700	1.229	5.471	3.172	2.299	3.900	3.900	14.000	8.350
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.92	6.700	1.229	5.471	3.172	2.299	3.900	3.900	15.500	9.850
Quad Cab - 6'4" Box 4x4 - SPORT												
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.55	6.700	1.317	5.383	3.128	2.255	3.900	3.900	14.000	8.450
5.7L HEMI V8 (EZH)	A6	66RFE(DG1)	3.92	6.700	1.317	5.383	3.128	2.255	3.900	3.900	15.500	9.950

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. In some cases payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded down to the nearest 50 lbs.
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.



2012 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE
 QUAD CAB 6'4" RAMBOX

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Quad Cab - 6'4" Box 4x2 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR - Rambox												
4.7L V8 (EVE)	A6	65RFEDG1	3.55	6.700	1.548	5.152	2.881	2.271	3.700	3.900	11,250	5,900
4.7L V8 (EVE)	A6	65RFEDG1	3.92	6.700	1.548	5.152	2.881	2.271	3.700	3.900	12,500	7,150
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.21	6.700	1.491	5.209	2.933	2.276	3.700	3.900	12,000	6,600
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.55	6.700	1.491	5.209	2.933	2.276	3.700	3.900	14,000	8,600
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.92	6.700	1.491	5.209	2.933	2.276	3.700	3.900	15,500	10,100
Quad Cab - 6'4" Box 4x2 - ST / EXPRESS - Rambox												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6.700	1.690	5.010	2.731	2.279	3.700	3.900	8,500	3,300
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6.700	1.690	5.010	2.731	2.279	3.700	3.900	8,500	3,300
4.7L V8 (EVE)	A6	65RFEDG1	3.55	6.700	1.554	5.146	2.874	2.272	3.700	3.900	11,250	5,950
4.7L V8 (EVE)	A6	65RFEDG1	3.92	6.700	1.554	5.146	2.874	2.272	3.700	3.900	12,500	7,200
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.21	6.700	1.494	5.206	2.923	2.283	3.700	3.900	12,000	6,600
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.55	6.700	1.494	5.206	2.923	2.283	3.700	3.900	14,000	8,600
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.92	6.700	1.494	5.206	2.923	2.283	3.700	3.900	15,500	10,100
Quad Cab - 6'4" Box 4x2 - LARAMIE - Rambox												
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.21	6.700	1.311	5.389	3.015	2.374	3.700	3.900	12,000	6,450
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.55	6.700	1.311	5.389	3.015	2.374	3.700	3.900	14,000	8,450
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.92	6.700	1.311	5.389	3.015	2.374	3.700	3.900	15,500	9,950
Quad Cab - 6'4" Box 4x2 - SPORT - Rambox												
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.21	6.700	1.366	5.334	2.975	2.359	3.700	3.900	12,000	6,500
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.55	6.700	1.366	5.334	2.975	2.359	3.700	3.900	14,000	8,500
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.92	6.700	1.366	5.334	2.975	2.359	3.700	3.900	15,500	10,000
Quad Cab - 6'4" Box 4x4 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR - Rambox												
4.7L V8 (EVE)	A6	65RFEDG1	3.55	6.700	1.371	5.329	3.022	2.307	3.900	3.900	11,250	5,750
4.7L V8 (EVE)	A6	65RFEDG1	3.92	6.700	1.371	5.329	3.022	2.307	3.900	3.900	12,500	7,000
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.55	6.700	1.289	5.414	3.101	2.312	3.900	3.900	14,000	8,400
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.92	6.700	1.289	5.414	3.101	2.312	3.900	3.900	15,500	9,900
Quad Cab - 6'4" Box 4x4 - ST / EXPRESS - Rambox												
4.7L V8 (EVE)	A6	65RFEDG1	3.55	6.700	1.377	5.323	3.039	2.285	3.900	3.900	11,250	5,750
4.7L V8 (EVE)	A6	65RFEDG1	3.92	6.700	1.377	5.323	3.039	2.285	3.900	3.900	12,500	7,000
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.55	6.700	1.289	5.411	3.087	2.323	3.900	3.900	14,000	8,400
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.92	6.700	1.289	5.411	3.087	2.323	3.900	3.900	15,500	9,900
Quad Cab - 6'4" Box 4x4 - LARAMIE - Rambox												
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.55	6.700	1.109	5.591	3.170	2.421	3.900	3.900	14,000	8,250
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.92	6.700	1.109	5.591	3.170	2.421	3.900	3.900	15,500	9,750
Quad Cab - 6'4" Box 4x4 - SPORT - Rambox												
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.55	6.700	1.197	5.503	3.126	2.377	3.900	3.900	14,000	8,300
5.7L HEMI V8 (E2H)	A6	65RFEDG1	3.92	6.700	1.197	5.503	3.126	2.377	3.900	3.900	15,500	9,800

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. In some cases payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded down to the nearest 50 lbs.
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.



2012 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE
CREW CAB 5'7" BOX

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Crew Cab - 5'7" Box 4x2 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR												
4 TL V8 (EVE)	A6	65RFE(DG1)	3.55	6.800	1.714	5.086	2.882	2.203	3.790	3.900	11.250	6.000
4 TL V8 (EVE)	A6	65RFE(DG1)	3.92	6.800	1.714	5.086	2.882	2.203	3.790	3.900	12.500	7.250
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.21	6.800	1.630	5.170	2.954	2.216	3.790	3.900	12.000	6.650
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.630	5.170	2.954	2.216	3.790	3.900	14.000	8.650
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.630	5.170	2.954	2.216	3.790	3.900	15.500	10.150
Crew Cab - 5'7" Box 4x2 - ST / EXPRESS												
4 TL V8 (EVE)	A6	65RFE(DG1)	3.55	6.800	1.717	5.083	2.875	2.208	3.790	3.900	11.250	6.000
4 TL V8 (EVE)	A6	65RFE(DG1)	3.92	6.800	1.717	5.083	2.875	2.208	3.790	3.900	12.500	7.250
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.21	6.800	1.633	5.167	2.947	2.220	3.790	3.900	12.000	6.650
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.633	5.167	2.947	2.220	3.790	3.900	14.000	8.650
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.633	5.167	2.947	2.220	3.790	3.900	15.500	10.150
Crew Cab - 5'7" Box 4x2 - LARAMIE												
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.21	6.800	1.450	5.350	3.039	2.312	3.790	3.900	12.000	6.450
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.450	5.350	3.039	2.312	3.790	3.900	14.000	8.450
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.450	5.350	3.039	2.312	3.790	3.900	15.600	9.950
Crew Cab - 5'7" Box 4x2 - LONG HORN												
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.21	6.800	1.273	5.527	3.082	2.445	3.790	3.900	12.000	6.300
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.273	5.527	3.082	2.445	3.790	3.900	14.000	8.300
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.273	5.527	3.082	2.445	3.790	3.900	15.600	9.800
Crew Cab - 5'7" Box 4x2 - SPORT												
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.21	6.800	1.527	5.273	2.979	2.294	3.790	3.900	12.000	6.550
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.527	5.273	2.979	2.294	3.790	3.900	14.000	8.550
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.527	5.273	2.979	2.294	3.790	3.900	15.500	10.050
Crew Cab - 5'7" Box 4x4 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR												
4 TL V8 (EVE)	A6	65RFE(DG1)	3.55	6.800	1.540	5.260	3.027	2.234	3.990	3.900	11.250	5.800
4 TL V8 (EVE)	A6	65RFE(DG1)	3.92	6.800	1.540	5.260	3.027	2.234	3.990	3.900	12.500	7.050
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.455	5.345	3.108	2.237	3.990	3.900	14.000	8.500
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.455	5.345	3.108	2.237	3.990	3.900	15.500	10.000
Crew Cab - 5'7" Box 4x4 - ST / EXPRESS												
4 TL V8 (EVE)	A6	65RFE(DG1)	3.55	6.800	1.543	5.257	3.021	2.236	3.990	3.900	11.250	5.800
4 TL V8 (EVE)	A6	65RFE(DG1)	3.92	6.800	1.543	5.257	3.021	2.236	3.990	3.900	12.500	7.050
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.458	5.342	3.094	2.240	3.990	3.900	14.000	8.500
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.458	5.342	3.094	2.240	3.990	3.900	15.500	10.000
Crew Cab - 5'7" Box 4x4 - LARAMIE												
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.276	5.522	3.176	2.346	3.990	3.900	14.000	8.300
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.276	5.522	3.176	2.346	3.990	3.900	15.500	9.800
Crew Cab - 5'7" Box 4x4 - LONG HORN												
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.148	5.654	3.201	2.454	3.990	3.900	14.000	8.150
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.148	5.654	3.201	2.454	3.990	3.900	15.500	9.650
Crew Cab - 5'7" Box 4x4 - SPORT												
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.55	6.800	1.322	5.478	3.140	2.330	3.990	3.900	14.000	8.350
5.7L HEMI V8 (E2H)	A6	65RFE(DG1)	3.92	6.800	1.322	5.478	3.140	2.330	3.990	3.900	15.500	9.850

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. In some cases payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded down to the nearest 50 lbs.
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class II (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,145 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.

2012 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE
CREW CAB 5'7" RAMBOX

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Crew Cab - 5'7" Box 4x2 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,613	5,187	2,381	2,306	3,700	3,900	11,250	5,900
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,613	5,187	2,381	2,306	3,700	3,900	12,500	7,150
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,529	5,271	2,953	2,318	3,700	3,900	12,000	6,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,529	5,271	2,953	2,318	3,700	3,900	14,000	8,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,529	5,271	2,953	2,318	3,700	3,900	15,500	10,350
Crew Cab - 5'7" Box 4x2 - ST / EXPRESS - Rambox												
4.7L V8 (EVC)	A6	65RFE(DG1)	3.55	6,800	1,616	5,184	2,374	2,310	3,700	3,900	11,250	5,900
4.7L V8 (EVC)	A6	65RFE(DG1)	3.92	6,800	1,616	5,184	2,374	2,310	3,700	3,900	12,500	7,150
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,532	5,268	2,946	2,323	3,700	3,900	12,000	6,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,532	5,268	2,946	2,323	3,700	3,900	14,000	8,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,532	5,268	2,946	2,323	3,700	3,900	15,500	10,050
Crew Cab - 5'7" Box 4x2 - LARAMIE - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,349	5,451	3,037	2,414	3,700	3,900	12,000	6,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,349	5,451	3,037	2,414	3,700	3,900	14,000	8,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,349	5,451	3,037	2,414	3,700	3,900	15,500	9,850
Crew Cab - 5'7" Box 4x2 - LONG HORN - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,180	5,620	3,081	2,139	3,700	3,900	12,000	6,200
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,180	5,620	3,081	2,139	3,700	3,900	14,000	8,200
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,180	5,620	3,081	2,139	3,700	3,900	15,500	9,700
Crew Cab - 5'7" Box 4x2 - SPORT - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,426	5,374	2,977	2,396	3,700	3,900	12,000	6,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,426	5,374	2,977	2,396	3,700	3,900	14,000	8,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,426	5,374	2,977	2,396	3,700	3,900	15,500	9,950
Crew Cab - 5'7" Box 4x4 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,339	5,461	3,025	2,338	3,900	3,900	11,250	6,700
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,339	5,461	3,025	2,338	3,900	3,900	12,500	6,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,364	5,436	3,106	2,339	3,900	3,900	14,000	8,400
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,364	5,436	3,106	2,339	3,900	3,900	15,500	9,900
Crew Cab - 5'7" Box 4x4 - ST / EXPRESS - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,442	5,358	3,020	2,338	3,900	3,900	11,250	6,700
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,442	5,358	3,020	2,338	3,900	3,900	12,500	6,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,367	5,433	3,092	2,350	3,900	3,900	14,000	8,400
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,367	5,433	3,092	2,350	3,900	3,900	15,500	8,900
Crew Cab - 5'7" Box 4x4 - LARAMIE - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,177	5,623	3,175	2,449	3,900	3,900	14,000	8,200
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,177	5,623	3,175	2,449	3,900	3,900	15,500	9,700
Crew Cab - 5'7" Box 4x4 - LONG HORN - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,012	5,788	3,200	2,549	3,900	3,900	14,000	8,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,012	5,788	3,200	2,549	3,900	3,900	15,500	9,600
Crew Cab - 5'7" Box 4x4 - SPORT - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,221	5,579	3,138	2,441	3,900	3,900	14,000	8,250
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,221	5,579	3,138	2,441	3,900	3,900	15,500	8,750

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. In some cases payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class II (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.
 4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.