



Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 2500 4X2 REG TRADESMAN 8' BOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	4010	5988.35	3400.83	2587.52	5500	6000	21500	15040
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	4010	5988.35	3400.83	2587.52	5500	6000	24000	17540
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	3160	6843.89	4212.22	2631.67	5500	6000	27000	19680
<b>RAM 2500 4X2 REG TRADESMAN 8' BOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3950	5952.83	3398.31	2554.52	5500	6000	21500	15080
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3950	5952.83	3398.31	2554.52	5500	6000	24000	17580
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	3060	6843.71	4213.56	2630.15	5500	6000	27000	19680

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 2500 4X2 CREW TRADESMAN 6.4' BOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3660	6343.06	3559.52	2783.54	5500	6000	21500	14690
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3660	6343.06	3559.52	2783.54	5500	6000	24000	17190
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	2770	7233.68	4398.37	2835.31	5500	6000	27000	19310
<b>RAM 2500 4X2 CREW TRADESMAN 6.4' RAMBOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3540	6456.41	3553.91	2902.5	5500	6000	21500	14570
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3540	6456.41	3553.91	2902.5	5500	6000	24000	17070
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	2660	7343.82	4369.44	2974.38	5500	6000	27000	19180
<b>RAM 2500 4X2 CREW TRADESMAN 6.4' BOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3560	6343.06	3559.52	2783.54	5500	6000	21500	14690
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3560	6343.06	3559.52	2783.54	5500	6000	24000	17190
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	2680	7216.72	4379.79	2836.93	5500	6000	27000	19310
<b>RAM 2500 4X2 CREW TRADESMAN 6.4' RAMBOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3440	6456.41	3553.91	2902.5	5500	6000	21500	14570
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3440	6456.41	3553.91	2902.5	5500	6000	24000	17070
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	2610	7287.5	4255.84	3031.66	5500	6000	27000	18820

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 2500 4X2 CREW TRADESMAN 8' BOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3520	6477.63	3688.49	2789.14	5500	6000	21500	14550
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3520	6477.63	3688.49	2789.14	5500	6000	24000	17050
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	2630	7372.3	4531.7	2840.6	5500	6000	27000	19150
<b>RAM 2500 4X2 CREW TRADESMAN 8' BOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3420	6477.63	3688.49	2789.14	5500	6000	21500	14550
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3420	6477.63	3688.49	2789.14	5500	6000	24000	17050
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	2530	7370.93	4527.32	2843.61	5500	6000	27000	19150

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 2500 4X4 MEGA BIG HORN/ 6.4' BOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	2940	7061.36	4061.29	3000.07	5500	6390	21500	13970
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	2940	7061.36	4061.29	3000.07	5500	6390	24000	16460
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	2040	7955.59	4894.97	3060.62	6000	6040	25265	15690
<b>RAM 2500 4X4 MEGA BIG HORN/LONE STAR 6.4' RAMBOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	2790	7205.22	4075.07	3130.15	5500	6390	21500	13820
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	2790	7205.22	4075.07	3130.15	5500	6390	24000	16320
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	1930	8070.42	4890.36	3180.06	6000	6040	25265	14550
<b>RAM 2500 4X4 MEGA BIG HORN/ 6.4' BOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	2840	7061.36	4061.29	3000.07	5500	6390	21500	13970
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	2840	7061.36	4061.29	3000.07	5500	6390	24000	16460
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	1940	7955.59	4894.97	3060.62	6000	6040	25265	14690
<b>RAM 2500 4X4 MEGA BIG HORN 6.4' RAMBOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	2690	7205.22	4075.07	3130.15	5500	6390	21500	13820
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	2690	7205.22	4075.07	3130.15	5500	6390	24000	16320
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	1830	8070.42	4890.36	3180.06	6000	6040	25265	13550

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 2500 4X4 REG TRADESMAN 8' BOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3690	6309.89	3688.31	2621.58	5500	6000	21500	14720
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3690	6309.89	3688.31	2621.58	5500	6000	24000	17220
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	2810	7194.15	4515.84	2678.31	5750	6000	27000	19330
<b>RAM 2500 4X4 REG TRADESMAN 8' BOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3580	6321.48	3695.8	2625.68	5500	6000	21500	14710
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3580	6321.48	3695.8	2625.68	5500	6000	24000	17210
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	2710	7194.15	4515.84	2678.31	5750	6000	27000	19330

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 2500 4X4 CREW TRADESMAN 6.4' BOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3350	6648.79	3847.03	2801.76	5500	6000	21500	14380
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3350	6648.79	3847.03	2801.76	5500	6000	24000	16880
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	2490	7508.33	4660.7	2847.63	5750	6000	27000	19020
<b>RAM 2500 4X4 CREW TRADESMAN 6.4' RAMBOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3220	6777.47	3849.02	2928.45	5500	6000	21500	14250
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3220	6777.47	3849.02	2928.45	5500	6000	24000	16750
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	2350	7645.67	4673.16	2972.51	5750	6000	27000	18790
<b>RAM 2500 4X4 CREW TRADESMAN W/ PWR -WAGON EQUIPMENT 6.4' BOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	8565	1620	6943.87	4086.68	2857.19	4750	6200	18000	10580
<b>RAM 2500 4X4 CREW TRADESMAN W/ PWR -WAGON EQUIPMENT 6.4' RAMBOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	8565	1500	7061.23	4090	2971.23	4750	6200	18000	10290
<b>RAM 2500 4X4 CREW TRADESMAN 6.4' BOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3240	6657.92	3856.99	2800.93	5500	6000	21500	14370
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3240	6657.92	3856.99	2800.93	5500	6000	24000	16870
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	2380	7516.38	4646.93	2869.45	5750	6000	27000	19010
<b>RAM 2500 4X4 CREW TRADESMAN 6.4' RAMBOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3150	6750.83	3831.03	2919.8	5500	6000	21500	14280
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3150	6750.83	3831.03	2919.8	5500	6000	24000	16780
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	2260	7636.48	4647.23	2989.25	5750	6000	27000	17890

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**



Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight Rating
					Total	Front	Rear	Front	Rear		
<b>RAM 2500 4X4 CREW TRADESMAN 8' BOX</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3160	6837.54	4002.13	2835.41	5500	6000	21500	14190
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3160	6837.54	4002.13	2835.41	5500	6000	24000	16690
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	10000	2300	7702.93	4822.77	2880.16	5750	6000	25525	17350
<b>RAM 2500 4X4 CREW TRADESMAN 8' BOX CANADA ONLY</b>											
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3070	6827.1	3998.58	2828.52	5500	6000	21500	14200
6.4L V8 MID DUTY HEMI MDS ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3070	6827.1	3998.58	2828.52	5500	6000	24000	16700
6.7L I6 CUMMINS TURBO DIESEL ENGINE	6-SPD AUTOMATIC 68RFE TRANSMISSION	3.73	9900	2190	7708.42	4825.86	2882.56	5750	6000	25525	17170

**2020 RAM 2500 (DJ) BASE WEIGHT GCW AND TRAILER TOW**

---

## NOTES

1. Payload and Max Trailer Weights are ESTIMATED values.
2. All values are shown in pounds unless otherwise stated.
3. Payload and Max Trailer Weight values are rounded to the nearest 10lb.
4. Payload = GVWR – Base Weight
5. Payload and Trailer Weight Rating are mutually exclusive.
6. GAWRs, GVWRs and GCWRs should never be exceeded.
7. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807.
  - Passenger Weight = 300 lb
  - Options Weight = 100 lb
  - Tongue weight: 10 percent of the gross trailer weight for Conventional Hitch, 15 percent of the gross trailer weight for 5th Wheel or Gooseneck hitch.
  - Trailering Equipment Weight: 75 lb for Conventional Hitch, 70 lb for Gooseneck and 250 lb for 5th Wheel.
  - Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and tongue weight.
  - Box Off Body Completion Weight = 80 lb per foot from end of cab to end of frame.
8. Maximum Capability.